

Version 1.2	Revision Date: 02/10/2015	MSDS Number:Date of last issue: 01/02/201531961-00003Date of first issue: 11/24/2014				
SECTION 1. IDENTIFICATION		ITEM 1535369				
Product name		: PURELL® Alcohol Formulation Sanitizing Wipes				
Manu	facturer or supplier's	details				
Comp	any name of supplier	: GOJO Industries, Inc.				
Addre	SS	: One GOJO Plaza, Suite 500 Akron OH 44311				
Telep	hone	: 1 (330) 255-6000				
Emerg	gency telephone	: 1-800-424-9300 CHEMTREC				
Reco	nmended use of the c	hemical and restrictions on use				
Recommended use		: Hand Sanitizer				
Restrictions on use		This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.				

# SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H226 Flammable liquid and vapor.



VersionRevision Date:1.202/10/2015	MSDS Number: 31961-00003	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014
Precautionary Statements	<ul> <li>Prevention: P210 Keep away No smoking. P233 Keep conta P241 Use explos equipment. P242 Use only no P243 Take preca P264 Wash skin P280 Wear prote Response: P303 + P361 + P all contaminated P305 + P351 + P for several minuto to do. Continue ri P337 + P313 If e attention. Storage: P403 + P235 Sto Disposal:</li> </ul>	rious eye irritation. from heat/sparks/open flames/hot surfaces tiner tightly closed. ion-proof electrical/ ventilating/ lighting/ on-sparking tools. tutionary measures against static discharge. thoroughly after handling. ctive gloves/ eye protection/ face protection. '353 IF ON SKIN (or hair): Take off immediately clothing. Rinse skin with water/shower. '338 IF IN EYES: Rinse cautiously with water es. Remove contact lenses, if present and easy insing. ye irritation persists: Get medical advice/ are in a well-ventilated place. Keep cool. contents/ container to an approved waste

### Other hazards

Vapors may form explosive mixture with air.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 50 - < 70
Propan-2-ol	67-63-0	>= 1 - < 5
Glycerine	56-81-5	>= 1 - < 5

# SECTION 4. FIRST AID MEASURES

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution.



Version 1.2	Revision Date: 02/10/2015	MSDS Number: 31961-00003	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014			
		Get medical at	ttention if symptoms occur.			
In cas	e of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Get medical attention.</li> </ul>				
If swallowed		: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.				
Most important symptoms and effects, both acute and delayed		: Causes seriou	is eye irritation.			
Prote	ction of first-aiders	and use the re	onders should pay attention to self-protection, ecommended personal protective equipment ntial for exposure exists.			
Notes	to physician	: Treat sympton	natically and supportively.			

# SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

# SECTION 6. ACCIDENTAL RELEASE MEASURES



Versio 1.2	on	Revision Date: 02/10/2015		DS Number: 961-00003	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014			
Personal precautions, protective equipment and emergency procedures			:	<ul> <li>Remove all sources of ignition.</li> <li>Use personal protective equipment.</li> <li>Follow safe handling advice and personal protective equipment recommendations.</li> </ul>				
Environmental precautions		:	<ul> <li>Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.</li> </ul>					
Methods and materials for containment and cleaning up		:	Suppress (knock jet. For large spills, pro- containment to kee can be pumped, so container. Clean up remaining absorbent. Local or national disposal of this m employed in the or determine which in Sections 13 and f	s should be used. t absorbent material. down) gases/vapors/mists with a water spray rovide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding tional requirements.				

# SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	<ul> <li>Do not breathe vapors or spray mist. Do not swallow.</li> <li>Do not get in eyes.</li> <li>Avoid prolonged or repeated contact with skin.</li> <li>Handle in accordance with good industrial hygiene and safety practice.</li> <li>Non-sparking tools should be used.</li> <li>Keep container tightly closed.</li> <li>Keep away from heat and sources of ignition.</li> <li>Take precautionary measures against static discharges.</li> <li>Take care to prevent spills, waste and minimize release to the environment.</li> </ul>
Conditions for safe storage	: Keep in properly labeled containers.



Version	Revision Date:	MSDS Number:	Date of last issue: 01/02/2015
1.2	02/10/2015	31961-00003	Date of first issue: 11/24/2014
Mater	ials to avoid	Store in accord Keep away from Do not store with Strong oxidizing Organic peroxid Flammable soli Pyrophoric liqui Pyrophoric solid Self-heating su	well-ventilated place. ance with the particular national regulations. n heat and sources of ignition. th the following product types: g agents des ds ds bstances and mixtures d mixtures which in contact with water emit

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

				Desis
Ingredients	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
Ethanol	64-17-5	TWA	1,000 ppm	NIOSH REL
			1,900 mg/m3	
		TWA	1,000 ppm	OSHA Z-1
			1,900 mg/m3	
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm	NIOSH REL
			980 mg/m3	
		ST	500 ppm	NIOSH REL
			1,225 mg/m3	
		TWA	400 ppm	OSHA Z-1
			980 mg/m3	
Glycerine	56-81-5	TWA (mist,	5 mg/m3	OSHA Z-1
-		respirable	-	
		fraction)		
		TWA (mist,	15 mg/m3	OSHA Z-1
		total dust)	-	

# Ingredients with workplace control parameters

### **Biological occupational exposure limits**

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentratio n	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-	40 mg/l	ACGIH BEI



rsion Revision Date: 2 02/10/2015			SDS Number: 961-00003					
					week			
Engineering measures			Minimize worl Use only in an ventilation. Use with loca	n area equi	pped with exp		exhaust	
Pers	onal protective equip	ment						
Respiratory protection			General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.					
	l protection aterial	:	Impervious gl	oves				
Ma	Material		Flame retarda	ant gloves				
Remarks		:	Choose glove on the concer time is not de For special ap resistance to gloves with th breaks and at	ntration spe termined fo oplications, chemicals a glove ma	ecific to place or the product. we recomme of the aforemon anufacturer. W	of work. Brea Change glo nd clarifying entioned pro	akthrough ves often! the tective	
Eye p	protection	:	Wear the follo Safety goggle	• •	onal protective	equipment:		
Skin	and body protection	:	Select appropresistance da potential. Wear the follor Flame retarda Skin contact riclothing (glov	ta and an a owing perso ant antistati must be ave	assessment of onal protective c protective c oided by using	f the local ex e equipment: lothing.	posure	
Hygie	ene measures	:	Ensure that e located close When using c Wash contam	to the work to not eat, o	king place. drink or smoke	е.	ers are	

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



Ver 1.2	sion	Revision Date: 02/10/2015		DS Number: 61-00003	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014
	Appear	ance	:	liquid	
	Color		:	clear, cloudy, col	orless
	Odor		:	alcohol-like	
	Odor T	hreshold	:	No data available	9
	рН		:	6 - 9	
	Melting	point/freezing point	:	No data available	9
	Initial b range	oiling point and boiling	:	No data available	9
	Flash p	point	:	28.7 °C	
	Evapor	ation rate	:	No data available	9
	Flamm	ability (solid, gas)	:	Not applicable	
	Upper	explosion limit	:	No data available	9
	Lower	explosion limit	:	No data available	9
	Vapor p	oressure	:	No data available	9
	Relativ	e vapor density	:	No data available	9
	Density	/	:	0.8980 g/cm3	
	Solubili Wate	ity(ies) er solubility	:	soluble	
	Partitio octanol	n coefficient: n- l/water	:	Not applicable	
	Autoigr	nition temperature	:	No data available	9
	Decom	position temperature	:	The substance o	r mixture is not classified self-reactive.
	Viscosi Visco	ty osity, dynamic	:	No data available	
	Explosi	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.

# SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not classified as a reactivity hazard.



Versi 1.2		Revision Date: 02/10/2015		DS Number: 961-00003	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014	
	Chemica	al stability	:	Stable under nor	mal conditions.	
Possibility of hazardous reac- tions		:	<ul> <li>Flammable liquid and vapor.</li> <li>Vapors may form explosive mixture with air.</li> <li>Can react with strong oxidizing agents.</li> </ul>			
	Conditions to avoid		:	: Heat, flames and sparks.		
	Incompa	atible materials	:	Oxidizing agents		
	Hazardo products	ous decomposition	:	No hazardous de	ecomposition products are known.	

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

# Acute toxicity

Not classified based on available information.

#### Ingredients:

Ethanol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor
Propan-2-ol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg
<b>Glycerine:</b> Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

### Product:

Result: No skin irritation

# Ingredients: Ethanol:



Version	Revision Date:	MS
1.2	02/10/2015	319

SDS Number: 961-00003

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

#### Propan-2-ol: Species: Rabbit

Result: No skin irritation

# Glycerine:

Result: No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Ingredients:

# Ethanol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

### Propan-2-ol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

#### **Glycerine:**

Result: No eye irritation

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

#### Product:

Assessment: Does not cause skin sensitization.

#### Ingredients:

#### Ethanol:

Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative

#### Propan-2-ol:

Test Type: Buehler Test Routes of exposure: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

# Germ cell mutagenicity

Not classified based on available information.

# Ingredients:



Versio 1.2	on	Revision Date: 02/10/2015		SDS Number: 961-00003	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014		
	<b>Ethano</b> Genoto:	<b>l:</b> xicity in vitro	:	Test Type: In vitro Result: negative	mammalian cell gene mutation test		
G	Genotoxicity in vivo		:	Test Type: Rodent dominant lethal test (germ cell) (in viv Species: Mouse Application Route: Ingestion Result: negative			
	<b>Propan</b> Genoto:	<b>-2-ol:</b> xicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative				
G	Genoto	xicity in vivo	:	<ul> <li>Test Type: Mammalian erythrocyte micronucleus test (in cytogenetic assay)</li> <li>Species: Mouse</li> <li>Application Route: Intraperitoneal injection</li> <li>Result: negative</li> </ul>			
	<b>Blyceri</b> Genoto:	<b>ne:</b> xicity in vitro	: Test Type: In vitro mammalian cell gene mutation to Method: OECD Test Guideline 476 Result: negative				
		ogenicity ssified based on availa	ıble	information.			
P S A E M	xposu lethod	-2-ol:					
S A E	Glycerine: Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative						
IJ	ARC		No ingredient of this product present at levels greater than equal to 0.1% is identified as probable, possible or confirm human carcinogen by IARC.		ntified as probable, possible or confirmed		
C	OSHA		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcino gen by OSHA.				
Ν	NTP		No ingredient of this product present at levels greater than o equal to 0.1% is identified as a known or anticipated carcino by NTP.				



Vers 1.2	sion	Revision Date: 02/10/2015		SDS Number: 961-00003	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014
	•	ductive toxicity Issified based on availa	ıble	information.	
	Ingred	ients:			
	Ethand Effects	<b>ol:</b> on fertility	:	Test Type: Two-g Species: Mouse Application Route Method: OECD T Result: negative	
	Propa				
	Effects	on fertility	:	Test Type: Two-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study
	Effects	on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	vo-fetal development : Ingestion
	Glycer	ine:			
		on fertility	:	Test Type: Two-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study
	Effects	on fetal development	:	Test Type: Embry Species: Rabbit Application Route Result: negative	vo-fetal development :: Ingestion

#### STOT-single exposure

Not classified based on available information.

# Ingredients:

#### Propan-2-ol:

Assessment: May cause drowsiness or dizziness.

#### STOT-repeated exposure

Not classified based on available information.

#### **Repeated dose toxicity**

### Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

#### Propan-2-ol:



VersionRevision Date:MSDS Number:1.202/10/201531961-00003

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapor) Exposure time: 104 w Method: OECD Test Guideline 413

#### Glycerine:

Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 13 w Symptoms: Local irritation

### Aspiration toxicity

Not classified based on available information.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

<u>Ingredients:</u> Ethanol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Propan-2-ol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to algae	: ErC50 (Scenedesmus quadricauda (Green algae)): > 1,800 mg/l Exposure time: 8 d
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 1,050 mg/l



ersion .2	Revision Date: 02/10/2015		DS Number: 961-00003	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014	
			Exposure time: 7	l6 h	
<b>Glyce</b> Toxici	<b>rine:</b> ty to fish	:	LC50 (Oncorhyr Exposure time: 9	chus mykiss (rainbow trout)): 54,000 mg/l 96 h	
	Toxicity to daphnia and other aquatic invertebrates		EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h		
Toxici	ty to bacteria	:	: NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h		
Persis	stence and degradabili	ity			
	dients:				
<b>Ethan</b> Biode	l <b>ol:</b> gradability	:	Result: Readily I Biodegradation: Exposure time: 2	84 %	
	<b>ın-2-ol:</b> gradability	:	Result: rapidly d	egradable	
<b>Glyce</b> Biode	r <b>ine:</b> gradability	:	Result: Readily I Biodegradation: Exposure time: 7	94 %	
Bioac	cumulative potential				
	dients:				
	i <b>ol:</b> on coefficient: n- ol/water	:	log Pow: -0.35		
Partitio	n <b>-2-ol:</b> on coefficient: n- bl/water	:	log Pow: 0.05		
	<b>rine:</b> on coefficient: n- bl/water	:	log Pow: -1.76		
	ity in soil				
	ta available				
	adverse effects ta available				



Version	Revision Date:	MSDS Number:	Date of last issue: 01/02/2015
1.2	02/10/2015	31961-00003	Date of first issue: 11/24/2014

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

<b>Disposal methods</b> Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Dispose of as unused product.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

#### **SECTION 14. TRANSPORT INFORMATION**

# International Regulation

<b>UNRTDG</b> UN number Proper shipping name Class Packing group Labels	<ul> <li>: UN 1987</li> <li>: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)</li> <li>: 3</li> <li>: III</li> <li>: 3</li> </ul>
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	<ul> <li>: UN 1987</li> <li>: Alcohols, n.o.s. (Ethanol, Propan-2-ol)</li> <li>: 3</li> <li>: III</li> <li>: Flammable Liquids</li> <li>: 366</li> <li>: 355</li> </ul>
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	<ul> <li>UN 1987</li> <li>ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)</li> <li>3</li> <li>III</li> <li>3</li> <li>F-E, S-D</li> <li>no</li> </ul>

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

49 CFR



Version 1.2	Revision Date: 02/10/2015	MSDS Number: 31961-00003	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014
	/NA number r shipping name	: UN 1987 : ALCOHOLS, N.(	D.S.
Labels ERG (		: 3 : III : FLAMMABLE LI : 127 : no	QUID

# SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312	Hazards :	Fire Hazard Acute Health Hazard		
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		
		Propan-2-ol	67-63-0	3.1349 %
US State Regulations				
Pennsylvania Right To Know				
•	Ethanol		64-17-5	50 - 70 %
	Water		7732-18-5	30 - 50 %
	Propan-2-ol		67-63-0	1 - 5 %
	Glycerine		56-81-5	1 - 5 %
New Jersey Right To Know				
	Ethanol		64-17-5	50 - 70 %
	Water		7732-18-5	30 - 50 %
	Propan-2-ol		67-63-0	1 - 5 %
	Glycerine		56-81-5	1 - 5 %
California Prop	ornia Prop 65 This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.			

# The ingredients of this product are reported in the following inventories:AICS: All ingredients listed or exempt.




Version	Revision Date:	MSDS Number:	Date of last issue: 01/02/2015
1.2	02/10/2015	31961-00003	Date of first issue: 11/24/2014

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**



2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

#### Full text of other abbreviations

ACGIH BEI NIOSH REL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
		8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid



Version	Revision Date:	MSDS Number:	Date of last issue: 01/02/2015
1.2	02/10/2015	31961-00003	Date of first issue: 11/24/2014

when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8