## SAFETY DATA SHEET

Section 1	Chemical Product and Company Information	Page E1 of E2
	80 Northwest Blvd. Nashua, NH 03063 (800) 225-3739	CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.
Product	SUDAN IV, 0.5% IN ALCOHOL SOLUTION	
Synonyms	Chromatography Dye Solution - Red	
Section 2	Hazards Identification	
Pictograms Target orga GHS Classi Flammable Eye irritation STOT-SE (C GHS Label H225: Highl H319: Caus	liquid (Category 2) n (Category 2)	<ul> <li>Precautionary statement(s):</li> <li>P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.</li> <li>P233: Keep container tightly closed.</li> <li>P240: Ground/bond container and receiving equipment.</li> <li>P241: Use explosion-proof electrical/ventilating/lighting equipment.</li> <li>P242: Use only non-sparking tools.</li> <li>P243: Take precautionary measures against static discharge.</li> <li>P264: Wash hands thoroughly after handling.</li> <li>P271: Use only outdoors or in a well-ventilated area.</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312: Call a POISON CENTER or doctor if you feel unwell.</li> <li>P337+P313: If eye irritation persists: Get medical attention.</li> <li>P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.</li> <li>P403+P235: Store in a well-ventilated place. Keep cool.</li> <li>P405: Store locked up.</li> <li>P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.</li> </ul>

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS #	%	EINECS	
Isopropyl alcohol		67-63-0	95.5%	200-661-7	
Sudan IV, biological	stain	85-83-6	0.5%	201-635-8	
Section 4	First Aid Measures				

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

## Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Linits.	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m <sup>3</sup>	TWA: 400 ppm / STEL: 500 ppm

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

0						
Section 9	Physical & Chemical Pro	perties				
pH: Data not av Melting / Freezing	c odor. d: Data not available. vailable. g point: Approximately -50°C (-58°F)* Approximately 85-100°C (185-212°F)*	Evaporation rate (Butyl acetate = Flammability (solid/gas): Data no Explosion limits: Lower / Upper: Vapor pressure (mm Hg): 33 mm Vapor density (Air = 1): 2.1* Relative density (Specific gravity Solubility(ies): Complete in water	ot available. : 2% / 12%* i @20°C* /): 0.8*	Auto-ignition Decomposi Viscosity: Molecular f	temperature: 399°	
Section 10	Stability & Reactivity					
Chemical stabi Conditions to a	-	Hazardous polymerization at, sparks, open flame and other source				
Incompatible n	naterials: Strong oxidizing material	s, caustics, aluminums, metals, nitrofo	orm, oleum, chlorinated	compounds ca	an react vigorousl	y with this alcohol.
Hazardous dec	composition products: Oxides of	carbon.				
Section 11	Toxicological Information	ı				
Respiratory or Germ cell muta Carcinogenity: NTP: No compo IARC classified: OSHA: No comp Reproductive t STOT-single ex	E Group 3: Not classifiable as to its of ponent of this product present at lev toxicity: Data not available xposure: The substance or mixture d exposure: Data not available		l] lentified as a carcinoge	n or potential c	arcinogen by OSI	
Potential healt Inhalation: Inha and irritation of Ingestion: Aspir develop if this o Skin: Prolonged Eyes: Contact of Signs and sym	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs.	I health effects above.	h. wed or vomited. Seriou	s lung damage	e and possible fat	
Potential healt Inhalation: Inha and irritation of Ingestion: Aspir develop if this o Skin: Prolonged Eyes: Contact of Signs and sym	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs. d or repeated contact may cause irr causes burning sensation, redness, nptoms of exposure: See Potentia	y result in unconsciousness and deat tter the lungs (aspirated) when swallor itation and drying, cracking and defatt swelling, and/or blurred vision. I health effects above.	h. wed or vomited. Seriou	s lung damage	e and possible fat	
Potential healt Inhalation: Inha and irritation of Ingestion: Aspii develop if this o Skin: Prolongee Eyes: Contact of Signs and sym Additional info Section 12 Toxicity to fish Toxicity to dap Toxicity to dap Toxicity to alga Persistence an Mobility in soil Other adverse	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs. d or repeated contact may cause irr causes burning sensation, redness, nptoms of exposure: See Potentia brmation: RTECS #: NT8050000 [ Ecological Information a: Pimephales promelas (Fish, fresh bhnia and other aquatic invertebra ae: Scenedesmus quadricauda (Alg nd degradability: No data available I: No data available effects: An environmental hazard of	y result in unconsciousness and deat iter the lungs (aspirated) when swallo itation and drying, cracking and defatt swelling, and/or blurred vision. I health effects above. Isopropanol] water) LC50: 9640 mg/L/96 hours [Is tes: Artemia salina (Crustacea), EC50 ae), LOEC50 = 1,800 mg/L/7 days [Iso Bioaccumulative potential: N PBT and vPvB assessment: cannot be excluded in the event of ung	h. wed or vomited. Seriou ing of the skin which ca opropanol] 0 = >10,000 mg/L/24 hc opropanol] vo data available No data available	s lung damage n lead to derm urs [Isopropan	e and possible fata atitis.	
Potential healt Inhalation: Inha and irritation of Ingestion: Aspii develop if this o Skin: Prolongee Eyes: Contact of Signs and sym Additional info Section 12 Toxicity to fish Toxicity to dap Toxicity to dapa Persistence an Mobility in soil: Other adverse Section 13	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs. d or repeated contact may cause irr causes burning sensation, redness, nptoms of exposure: See Potentia ormation: RTECS #: NT8050000 [ Ecological Information a: Pimephales promelas (Fish, fresh bunia and other aquatic invertebra ae: Scenedesmus quadricauda (Alg nd degradability: No data available I: No data available effects: An environmental hazard of Disposal Considerations	y result in unconsciousness and deat itter the lungs (aspirated) when swallo itation and drying, cracking and defatt swelling, and/or blurred vision. I health effects above. Isopropanol] water) LC50: 9640 mg/L/96 hours [Is tes: Artemia salina (Crustacea), EC50 ae), LOEC50 = 1,800 mg/L/7 days [Iso Bioaccumulative potential: N PBT and vPvB assessment: cannot be excluded in the event of unp	h. wed or vomited. Seriou ing of the skin which ca opropanol] 0 = >10,000 mg/L/24 hc opropanol] No data available No data available orofessional handling or	s lung damage n lead to derm urs [Isopropan disposal.	e and possible fata atitis. nol]	al chemical pneumonia can
Potential healti Inhalation: Inha and irritation of i Ingestion: Aspii develop if this o Skin: Prolonged Eyes: Contact of Signs and sym Additional info Section 12 Toxicity to fish Toxicity to dapa Persistence an Mobility in soil Other adverse Section 13 These disposa	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs. d or repeated contact may cause irr causes burning sensation, redness, nptoms of exposure: See Potentia formation: RTECS #: NT8050000 [ Ecological Information ar: Pimephales promelas (Fish, fresh phnia and other aquatic invertebra ae: Scenedesmus quadricauda (Alg- dd degradability: No data available l: No data available effects: An environmental hazard of Disposal Considerations al guidelines are intended for the	y result in unconsciousness and deat iter the lungs (aspirated) when swallo itation and drying, cracking and defatt swelling, and/or blurred vision. I health effects above. Isopropanol] water) LC50: 9640 mg/L/96 hours [Is tes: Artemia salina (Crustacea), EC50 ae), LOEC50 = 1,800 mg/L/7 days [Iso Bioaccumulative potential: N PBT and vPvB assessment: cannot be excluded in the event of ung	h. wed or vomited. Seriou ing of the skin which ca opropanol] 0 = >10,000 mg/L/24 hc opropanol] No data available No data available orofessional handling or s only. Federal regula	s lung damage n lead to derm urs [Isopropan disposal. ations may ap	e and possible fata atitis. nol]	al chemical pneumonia can
Potential healti Inhalation: Inha and irritation of ' Ingestion: Aspii develop if this o Skin: Prolonged Eyes: Contact of Signs and sym Additional info Section 12 Toxicity to fish Toxicity to fish Toxicity to dapa Persistence an Mobility in soil Other adverse Section 13 These disposa regulations ma	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs. d or repeated contact may cause irr causes burning sensation, redness, nptoms of exposure: See Potentia formation: RTECS #: NT8050000 [ Ecological Information ar: Pimephales promelas (Fish, fresh phnia and other aquatic invertebra ae: Scenedesmus quadricauda (Alg- dd degradability: No data available l: No data available effects: An environmental hazard of Disposal Considerations al guidelines are intended for the	y result in unconsciousness and deat iter the lungs (aspirated) when swallor itation and drying, cracking and defatt swelling, and/or blurred vision. I health effects above. Isopropanol] water) LC50: 9640 mg/L/96 hours [Is tes: Artemia salina (Crustacea), EC50 ae), LOEC50 = 1,800 mg/L/7 days [Isc Bioaccumulative potential: N PBT and vPvB assessment: cannot be excluded in the event of ung disposal of catalog-size quantities	h. wed or vomited. Seriou ing of the skin which ca opropanol] 0 = >10,000 mg/L/24 hc opropanol] No data available No data available orofessional handling or s only. Federal regula	s lung damage n lead to derm urs [Isopropan disposal. ations may ap	e and possible fata atitis. nol]	al chemical pneumonia can
Potential healt Inhalation: Inha and irritation of Ingestion: Aspin develop if this o Skin: Prolonged Eyes: Contact of Signs and sym Additional info Section 12 Toxicity to fish Toxicity to dap Toxicity to dap Toxicity to alga Persistence an Mobility in soil Other adverse Section 13 These disposa regulations ma Section 14	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs. ad or repeated contact may cause irr causes burning sensation, redness, nptoms of exposure: See Potentia formation: RTECS #: NT8050000 [ Ecological Information a: Pimephales promelas (Fish, fresh bhnia and other aquatic invertebra ae: Scenedesmus quadricauda (Alg dd degradability: No data available i: No data available effects: An environmental hazard of Disposal Considerations al guidelines are intended for the ay be different. Dispose of in act Transport Information	y result in unconsciousness and deat iter the lungs (aspirated) when swallor itation and drying, cracking and defatt swelling, and/or blurred vision. I health effects above. Isopropanol] water) LC50: 9640 mg/L/96 hours [Is tes: Artemia salina (Crustacea), EC50 ae), LOEC50 = 1,800 mg/L/7 days [Isc Bioaccumulative potential: N PBT and vPvB assessment: cannot be excluded in the event of ung disposal of catalog-size quantities	h. wed or vomited. Seriou ing of the skin which ca opropanol] 0 = >10,000 mg/L/24 hc opropanol] No data available No data available orofessional handling or s only. Federal regula	s lung damage n lead to derm urs [Isopropan disposal. ations may ap	e and possible fata atitis. nol]	al chemical pneumonia can
Potential healti Inhalation: Inha and irritation of ' Ingestion: Aspin develop if this o Skin: Prolonged Eyes: Contact of Signs and sym Additional info Section 12 Toxicity to fish Toxicity to dap Toxicity to alga Persistence an Mobility in soil: Other adverse Section 13 These disposa regulations ma Section 14 UN/NA numb Hazard class	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs. ad or repeated contact may cause irr causes burning sensation, redness, nptoms of exposure: See Potentia formation: RTECS #: NT8050000 [ Ecological Information a: Pimephales promelas (Fish, fresh bunia and other aquatic invertebra ae: Scenedesmus quadricauda (Alg dd degradability: No data available effects: An environmental hazard of Disposal Considerations al guidelines are intended for the ay be different. Dispose of in act Transport Information per: UN1219 Shipping 5: 3 Packing	y result in unconsciousness and deat iter the lungs (aspirated) when swallor itation and drying, cracking and defatti swelling, and/or blurred vision. I health effects above. Isopropanol] water) LC50: 9640 mg/L/96 hours [Is tes: Artemia salina (Crustacea), EC50 ae), LOEC50 = 1,800 mg/L/7 days [Iso Bioaccumulative potential: N PBT and vPvB assessment: cannot be excluded in the event of ung disposal of catalog-size quantities cordance with all local, state and for name: Isopropanol solution group: II Repor	h. wed or vomited. Seriou ing of the skin which ca opropanol] 0 = >10,000 mg/L/24 hc opropanol] No data available No data available orofessional handling or s only. Federal regula	s lung damage n lead to derm urs [Isopropan disposal. ations may ap	e and possible fata atitis. nol] oply to empty co a licensed chem	al chemical pneumonia can
Potential healt Inhalation: Inha and irritation of Ingestion: Aspii develop if this o Skin: Prolonger Eyes: Contact of Signs and sym Additional info Section 12 Toxicity to fish Toxicity to dap Toxicity to d	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs. d or repeated contact may cause irr causes burning sensation, redness, <b>nptoms of exposure</b> : See Potentia <b>brination: RTECS #</b> : NT8050000 [ <b>Ecological Information</b> a: Pimephales promelas (Fish, fresh <b>bhnia and other aquatic invertebra</b> <b>ae</b> : Scenedesmus quadricauda (Alg <b>d degradability</b> : No data available <b>effects</b> : An environmental hazard of <b>Disposal Considerations</b> al guidelines are intended for the <b>ay</b> be different. Dispose of in act <b>Transport Information</b> <b>per:</b> UN1219 <b>Shipping</b> <b>bisis 3 Packing</b> Limited quantity equal to or lest	y result in unconsciousness and deat iter the lungs (aspirated) when swallor itation and drying, cracking and defatti swelling, and/or blurred vision. I health effects above. Isopropanol] water) LC50: 9640 mg/L/96 hours [Is tes: Artemia salina (Crustacea), EC50 ae), LOEC50 = 1,800 mg/L/7 days [Iso Bioaccumulative potential: N PBT and vPvB assessment: cannot be excluded in the event of ung disposal of catalog-size quantities cordance with all local, state and for name: Isopropanol solution group: II Repor	h. wed or vomited. Seriou ing of the skin which ca opropanol] 0 = >10,000 mg/L/24 hc opropanol] No data available No data available orofessional handling or s only. Federal regula ederal regulations or table Quantity: No	s lung damage n lead to derm urs [Isopropan disposal. ations may ap	e and possible fata atitis. nol] oply to empty co a licensed chem	al chemical pneumonia can intainer. State and/or loca nical disposal agency.
Potential healt Inhalation: Inha and irritation of Ingestion: Aspii develop if this o Skin: Prolonger Eyes: Contact of Signs and sym Additional info Section 12 Toxicity to fish Toxicity to dap Toxicity to d	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs. d or repeated contact may cause irr causes burning sensation, redness, <b>nptoms of exposure</b> : See Potentia <b>brination</b> : <b>RTECS #</b> : <b>NT8050000</b> [ <b>Ecological Information</b> <b>a:</b> Pimephales promelas (Fish, fresh <b>bhnia and other aquatic invertebra</b> <b>ae</b> : Scenedesmus quadricauda (Alg <b>d degradability</b> : No data available <b>effects</b> : An environmental hazard of <b>Disposal Considerations</b> al guidelines are intended for the <b>ay be different</b> . Dispose of in act <b>Transport Information</b> <b>per:</b> UN1219 <b>Shipping</b> <b>bisines</b> Limited quantity equal to or lest <b>Regulatory Information</b>	y result in unconsciousness and deat iter the lungs (aspirated) when swallor itation and drying, cracking and defatti swelling, and/or blurred vision. I health effects above. Isopropanol] water) LC50: 9640 mg/L/96 hours [Is tes: Artemia salina (Crustacea), EC50 ae), LOEC50 = 1,800 mg/L/7 days [Iso Bioaccumulative potential: N PBT and vPvB assessment: cannot be excluded in the event of ung disposal of catalog-size quantities cordance with all local, state and for name: Isopropanol solution group: II Repor	h. wed or vomited. Seriou ing of the skin which ca opropanol] 0 = >10,000 mg/L/24 hc opropanol] No data available No data available No data available orofessional handling or s only. Federal regula ederal regulations or table Quantity: No Guide # 129	s lung damage n lead to derm urs [Isopropan disposal. ations may ap	e and possible fata atitis. nol] oply to empty co a licensed chem	al chemical pneumonia can intainer. State and/or loca nical disposal agency.
Potential healt Inhalation: Inha and irritation of Ingestion: Aspin develop if this o Skin: Prolonged Eyes: Contact of Signs and sym Additional info Section 12 Toxicity to fish Toxicity to dap Toxicity to dap Toxicity to adga Persistence an Mobility in soil Other adverse Section 13 These disposa regulations ma Section 14 UN/NA numb Hazard class Exceptions: Section 15 A chemical is cons	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs. d or repeated contact may cause irr causes burning sensation, redness, <b>nptoms of exposure</b> : See Potentia <b>brination</b> : <b>RTECS #</b> : <b>NT8050000</b> [ <b>Ecological Information</b> <b>a:</b> Pimephales promelas (Fish, fresh <b>bhnia and other aquatic invertebra</b> <b>ae</b> : Scenedesmus quadricauda (Alg <b>d degradability</b> : No data available <b>effects</b> : An environmental hazard of <b>Disposal Considerations</b> al guidelines are intended for the <b>ay be different</b> . Dispose of in act <b>Transport Information</b> <b>per:</b> UN1219 <b>Shipping</b> <b>bisines</b> Limited quantity equal to or lest <b>Regulatory Information</b>	y result in unconsciousness and deat ther the lungs (aspirated) when swallow itation and drying, cracking and defatti swelling, and/or blurred vision. I health effects above. Isopropanol] water) LC50: 9640 mg/L/96 hours [Is tes: Artemia salina (Crustacea), EC50 ae), LOEC50 = 1,800 mg/L/7 days [Iso Bioaccumulative potential: N PBT and vPvB assessment: cannot be excluded in the event of ung disposal of catalog-size quantities cordance with all local, state and for group: II Repor is than 1 L ERG G	h. wed or vomited. Seriou ing of the skin which ca opropanol] 0 = >10,000 mg/L/24 hc propanol] No data available No data available orofessional handling or s only. Federal regulations or table Quantity: No Guide # 129 t.	s lung damage n lead to derm urs [Isopropan disposal. ations may ap	e and possible fata atitis. nol] oply to empty co a licensed chem	al chemical pneumonia can intainer. State and/or loca nical disposal agency.
Potential healti Inhalation: Inha and irritation of Ingestion: Aspin develop if this o Skin: Prolonged Eyes: Contact of Signs and sym Additional info Section 12 Toxicity to fish Toxicity to dap Toxicity to dap Toxicity to alga Persistence an Mobility in soil Other adverse Section 13 These disposa regulations ma Section 14 UN/NA numb Hazard class Exceptions: Section 15 A chemical is cons	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs. d or repeated contact may cause irr causes burning sensation, redness, nptoms of exposure: See Potentia ormation: RTECS #: NT8050000 [ Ecological Information and other aquatic invertebra ae: Scenedesmus quadricauda (Alg d degradability: No data available i: No data available effects: An environmental hazard of Disposal Considerations al guidelines are intended for the ay be different. Dispose of in act Transport Information per: UN1219 Shipping a: 3 Packing Limited quantity equal to or les Regulatory Information sidered to be listed if the CAS number for toponent	y result in unconsciousness and deat ther the lungs (aspirated) when swallow itation and drying, cracking and defatti swelling, and/or blurred vision. I health effects above. Isopropanol] water) LC50: 9640 mg/L/96 hours [Is tes: Artemia salina (Crustacea), EC50 ae), LOEC50 = 1,800 mg/L/7 days [Iso Bioaccumulative potential: N PBT and vPvB assessment: cannot be excluded in the event of ung disposal of catalog-size quantities cordance with all local, state and for group: II Repor is than 1 L ERG G	h. wed or vomited. Seriou ing of the skin which ca opropanol] 0 = >10,000 mg/L/24 hc propanol] No data available No data available orofessional handling or s only. Federal regulations or table Quantity: No Guide # 129 t.	s lung damage n lead to derm urs [Isopropan disposal. ations may ap contract with	e and possible fata atitis. nol] oply to empty co a licensed chen Mar	al chemical pneumonia can intainer. State and/or loca nical disposal agency. ine pollutant: No
Potential healt Inhalation: Inha and irritation of Ingestion: Aspii develop if this o Skin: Prolonger Eyes: Contact of Signs and sym Additional info Section 12 Toxicity to fish Toxicity to dap Toxicity to d	th effects: alation of high vapor concentrations the throat. Continued inhalation ma iration hazard. Liquid can directly er occurs. d or repeated contact may cause irr causes burning sensation, redness, nptoms of exposure: See Potentia ormation: RTECS #: NT8050000 [ Ecological Information and other aquatic invertebra ae: Scenedesmus quadricauda (Alg d degradability: No data available i: No data available effects: An environmental hazard of Disposal Considerations al guidelines are intended for the ay be different. Dispose of in act Transport Information per: UN1219 Shipping a: 3 Packing Limited quantity equal to or les Regulatory Information sidered to be listed if the CAS number for toponent	y result in unconsciousness and deat ther the lungs (aspirated) when swallow itation and drying, cracking and defatti swelling, and/or blurred vision. I health effects above. Isopropanol] water) LC50: 9640 mg/L/96 hours [Is tes: Artemia salina (Crustacea), EC50 ae), LOEC50 = 1,800 mg/L/7 days [Iso Bioaccumulative potential: N PBT and vPvB assessment: cannot be excluded in the event of ung disposal of catalog-size quantities cordance with all local, state and for group: II Repor is than 1 L ERG C the anhydrous form is on the Inventory lis TSCA CERLCA (RQ)	h. wed or vomited. Seriou ing of the skin which ca opropanol] 0 = >10,000 mg/L/24 hc opropanol] No data available No data available No data available orofessional handling or s only. Federal regula ederal regulations or table Quantity: No Suide # 129 t. RCRA code	s lung damage n lead to derm urs [Isopropan disposal. ations may ap contract with	e and possible fata atitis. nol] oply to empty co a licensed chen Mar NDSL	al chemical pneumonia can Intainer. State and/or loca nical disposal agency. Tine pollutant: No WHMIS Classification B2: D2B

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.