
Page 1/10

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 23.10.2014

Revision: 23.10.2014



Printing date 23.10.2014

Revision: 23.10.2014

# Trade name: Estes Model Rocket Engines / Motors (≤ 30g propellant) (Contd. of page 1) · Hazard pictograms GHS01 · Signal word Warning · Hazard statements H204 Fire or projection hazard. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P374 Fight fire with normal precautions from a reasonable distance. · Hazard description: · WHMIS-symbols: Exempt under WHMIS. · NFPA ratings (scale 0 - 4) Health = 1 Fire = 3Reactivity = 1 · HMIS-ratings (scale 0 - 4) 1 Health = 1 HEALTH <sup>3</sup> Fire = 3 REACTIVITY 1 Reactivity = 1 · HMIS Long Term Health Hazard Substances None of the ingredients are listed. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** · 3.2 Mixtures • **Description:** Mixture of substances listed below with nonhazardous additions. Dangaraya aomnananta

· Dangerous components:				
CAS: 7757-79-1	potassium nitrate	A 0 R8	60-80%	
EINECS: 231-818-8		🐼 Ox. Sol. 2, H272		
CAS: 7704-34-9	sulfur	🗙 Xi R38	10-20%	
EINECS: 231-722-6		Skin Irrit. 2, H315		
Index number: 016-094-00-1		, , , , , , , , , , , , , , , , , , ,		
(Contd. on page 3)				

Printing date 23.10.2014

Revision: 23.10.2014

Trade name: Estes Model Rocket Engines / Motors (≤ 30g propellant)

• Additional information: For the wording of the listed risk phrases refer to section 16.

(Contd. of page 2)

# **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

· General information: No special measures required.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

#### • After skin contact:

In case of minor burns, flush with cool water.

Seek immediate medical help for blistering or open wounds.

#### · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Adverse health effects are not reasonably expected from normal use of product. Methaemoglobinaemia

• Hazards Hazards only apply to cases of ingestion.

4.3 Indication of any immediate medical attention and special treatment needed

Contains nitrates. Consult literature for specific antidotes.

# **SECTION 5: Firefighting measures**

<sup>·</sup> 5.1 Extinguishing media

· Suitable extinguishing agents:

Water in flooding quantities.

Fight fire with normal precautions from a reasonable distance.

• For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

#### 5.3 Advice for firefighters

#### • Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- Additional information

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water in flooding quantites.

# **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

(Contd. on page 4)

Printing date 23.10.2014

Revision: 23.10.2014

#### Trade name: Estes Model Rocket Engines / Motors (≤ 30g propellant)

(Contd. of page 3) • 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up manually.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Handle with care. • Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke. Emergency cooling must be available in case of nearby fire.

7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame. Protect from humidity and water.
Information about storage in one common storage facility: Store away from flammable substances. Do not store together with acids. Protect from humidity and water.
Further information about storage conditions:

Store in a cool place.

Storage Temperatures : 32-140 ° F / 0-60 °C.

Store in dry conditions.

• 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs No further relevant information available.

• **PNECs** No further relevant information available.

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 5)

Revision: 23.10.2014

Printing date 23.10.2014 Trade name: Estes Model Rocket Engines / Motors (< 30g propellant) (Contd. of page 4) · 8.2 Exposure controls · Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Information is only applicable to product contents, and not to product as normally supplied. This information is applicable to damaged, leaking, or spilled product as contact with contents is possible under these conditions. · Respiratory protection: Not required under normal conditions of use. Protection of hands: Gloves not required under normal conditions of use. Wear protective gloves to handle contents of damaged or leaking units. • Eye protection: Follow OSHA or EU guidelines concerning the use of protective eyewear. · Body protection: Not required under normal conditions of use. · Limitation and supervision of exposure into the environment No further relevant information available. **Risk management measures** See Section 7 for additional information. No further relevant information available. **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Kraft colored paper cylinders with grey nozzle at one end. Colour: Light grey Sulfurous · Odour: · Odour threshold: Not determined. · pH-value: Not applicable. · Change in condition Melting point/Melting range: Not Determined. Boiling point/Boiling range: Undetermined. · Flash point: Not applicable. Flammability (solid, gaseous): Contact with combustible material may cause fire. 540 °F / 282 °C · Auto/Self-ignition temperature: Not determined.

Product is not self-igniting.

Not determined.

Not determined.

Not determined.

· Decomposition temperature:

· Self-igniting:

Danger of explosion:

· Explosion limits: Lower: Upper:

(Contd. on page 6)

Printing date 23.10.2014

Revision: 23.10.2014

#### (Contd. of page 5) Oxidising properties Oxidizer Not applicable. Vapour pressure: Not determined. · Density: · Relative densitv Not determined. · Vapour densitv Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with water: Partly soluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: **Dynamic:** Not applicable. Kinematic: Not applicable. · 9.2 Other information No further relevant information available.

# **SECTION 10: Stability and reactivity**

#### · 10.1 Reactivity

- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

Trade name: Estes Model Rocket Engines / Motors (≤ 30g propellant)

- Avoid temperatures above 140 °F / 60 °C.
- 10.3 Possibility of hazardous reactions
- Reacts with acids.
- Reacts with flammable substances.

### Flammable.

· 10.4 Conditions to avoid Keep ignition sources away - Do not smoke.

• 10.5 Incompatible materials: No further relevant information available.

- 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Nitrogen oxides Sulphur oxides (SOx)

# **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Not determined.
- · on the eye: Not determined.
- · Sensitisation: No sensitising effects known.

(Contd. on page 7)

Printing date 23.10.2014

Trade name: Estes Model Rocket Engines / Motors (≤ 30g propellant)

#### · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

# **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

#### · General notes:

This statement was deduced from the properties of the single components.

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

To dispose of a small quantity of product, soak in water for at least 24 hours, then dispose of remnants in an ordinary manner. For large quantities, Contact manufacturer or incinerate.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

# **SECTION 14: Transport information**

14.1 UN-Number
 DOT
 ADR, IMDG, IATA
 14.2 UN proper shipping name
 DOT

· ADR, IMDG, IATA

UN1325 (DOT SP-7887) or NA0323 UN0432

Flammable solid, organic, n.o.s. (Model rocket kits containing motors with or without un-installed igniters), Articles, Pyrotechnic

(Contd. on page 8)

(Contd. of page 6)

Revision: 23.10.2014

Printing date 23.10.2014

Revision: 23.10.2014

Trade name: Estes Model Rocket Engines / Motors (≤ 30g propellant)				
· 14.3 Transport hazard class(es)	(Contd. of page 7)			
Class	4.1 Flammable solids, self-reactive substances and solid desensitised explosives.			
<sup>.</sup> Label	4.1			
· ADR, IMDG, IATA				
1.4 5				
· Class	1.4			
· Label	1.4S			
14.4 Packing group				
DOT, ADR, IMDG, IATA	II			
14.5 Environmental hazards:	<b>N</b> 1			
• Marine pollutant:	No Obierad via the United Otates Destal Convise via			
<sup>·</sup> Special Marking (DOT)	Shipped via the United States Postal Service via Surface Mail Only as: Toy Propellant Devices, NA0323, Class 1.4S/ PG II for engines with ≤30 g of propellant. Engines with more than 30g of propellant may not be shipped by the USPS.			
• Special marking (IATA):	Marking required when shipped under UN1325 only.			
Cargo Aircraft Only.				
• 14.6 Special precautions for user	Not applicable.			
EMS Number:	F-A,S-Q			
<ul> <li>14.7 Transport in bulk according to Anno</li> </ul>	ex II of			
MARPOL73/78 and the IBC Code	Not applicable.			
• UN "Model Regulation":	UN0432, Articles, Pyrotechnic, 1.4S, II			

# **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Contd. on page 9)

Printing date 23.10.2014

Revision: 23.10.2014

#### Trade name: Estes Model Rocket Engines / Motors (≤ 30g propellant)

	(Contd. of pag
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
· Chemicals known to cause cancer:	
1317-95-9 Silica-Crystalline Tripoli	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients are listed.	
<ul> <li>TLV (Threshold Limit Value established by ACGIH)</li> </ul>	
None of the ingredients are listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
<sup>.</sup> Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients are listed.	
· Other regulations, limitations and prohibitive regulations	
Substances of very high concern (SVHC) according to REACH, Article 57	
None of the ingredients are listed. • <b>15.2 Chemical safety assessment:</b> A Chemical Safety Assessment has not be	

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Model rocketry is regulated in most states in accordance with NFPA 1122, Code for Model Rocketry.

#### · Relevant phrases

H272 May intensify fire; oxidiser.

(Contd. on page 10)

Trade name: Estes Model Rocket Engines / Motors (≤ 30g propellant)

Printing date 23.10.2014

Revision: 23.10.2014

	<b>.</b>	
H315 Causes s R38 Irritating	es skin irritation.	(Contd. of page 9)
	ct with combustible material may cause fire.	
ADR: Accord eur International Carris IMDG: International DOT: US Departm IATA: International GHS: Globally Hai ACGIH: American EINECS: Europeal CAS: Chemical At NFPA: National Fi HMIS: Hazardous WHMIS: Workplac DNEL: Derived No PNEC: Predicted I Expl. 1.4: Explosiv Ox. Sol. 2: Oxidisi	européen sur le transport des marchandises dangereuses par Route (European Ag arriage of Dangerous Goods by Road) ional Maritime Code for Dangerous Goods rtment of Transportation onal Air Transport Association Harmonised System of Classification and Labelling of Chemicals can Conference of Governmental Industrial Hygienists bean Inventory of Existing Commercial Chemical Substances bean List of Notified Chemical Substances I Abstracts Service (division of the American Chemical Society) I Fire Protection Association (USA) bus Materials Identification System (USA) blace Hazardous Materials Information System (Canada) No-Effect Level (REACH) ed No-Effect Concentration (REACH) bsives, Division 1.4 dising Solids, Hazard Category 2 in corrosion/irritation, Hazard Category 2	reement concerning the