1325220



80 Northwest Boulevard • Nashua, NH 03063 Tel: 603-889-8899 • Fax: 603-880-6520 www.deltaeducation.com

Dear Educator,

This file contains the Safety Data Sheets (SDS) for FOSS MIXTURES AND SOLUTIONS, 3rd Edition as of July 24, 2017.

Because kit contents can sometimes be replaced, we recommend searching our online portal of SDS for current sheets as you need them. To make that searching easier, we have provided a listing below of the items with SDS in this kit.

Portal: http://www.schoolspecialty.com/sds

Part Number to Search	Item Description
020-0420	Baking soda
020-9152	Battery-D cell
034-1031	Calcium carbonate
031-2608	Calcium chloride
031-2212	Citric acid
040-2236	Diatomaceous earth
050-1159	Epsom salts
190-0139-0	Kosher salt, 3 lb.
191-1117	Kosher salt, 310 g

Note: The part numbers to search for in the portal are often not the same part numbers used to order replacements. To order replacements, please visit www.deltaeducation.com/refilcenter

If you have any questions, please contact Customer Care at 800-258-1302 for assistance.



 Safety Data Sheet

 According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

 Revision Date: 03/12/2015
 Date of issue: 03/12/2015
 Supersedes Date: 03/09/2012

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Substance Product Name: Sodium Bicarbonate CAS No: 144-55-8 Formula: NaHCO₃

Synonyms: Baking Soda

Intended Use of the Product

Food Ingredient, Pharmaceutical, Household and Personal Care Product, Water Treatment, General Industrial Use.

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

www.churchdwight.com

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828, For Chemical Emergency: 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

The consumer variant of this product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC) and the Food and Drug Administration (FDA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and FDA, and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

Classification (GHS-US) Not classified

Label Elements

GHS-US Labeling No labeling applicable

<u>Other Hazards</u> Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. Prolonged contact with dust can produce mechanical irritation.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Substances</u>				
Name	: Sodium Bicarbonate			
CAS No	: 144-55-8			
Name		Product Identifier	% (w/w)	Classification (GHS-US)
Sodium bicarbonate		(CAS No) 144-55-8	100	Not classified
SECTION 4: FIRST AID MEASURES				

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

Inhalation: When symptoms occur: go into open air and ventilate suspected area.

Skin Contact: Brush off loose particles from skin. Rinse immediately with plenty of water. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Obtain medical attention if irritation persists.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Ingestion: Rinse mouth. Do NOT induce vomiting. Seek medical attention if a large amount is swallowed.

Most Important Symptoms and Effects Both Acute and Delayed

General: None expected under normal conditions of use.

Inhalation: Prolonged inhalation of dust may cause respiratory irritation.

Skin Contact: Skin contact with large amounts of dust may cause mechanical irritation.

Eye Contact: Contact may cause irritation due to mechanical abrasion.

Ingestion: Large doses may produce systemic alkalosis and expansion in extracellular fluid volume with edema.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: For surrounding fire: Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: NOT FLAMMABLE . Under fire conditions, hazardous fumes will be present.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. **Firefighting Instructions:** Exercise caution when fighting any chemical fire.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sodium oxides.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust or fumes. Avoid skin and eye contact.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Avoid generation of dust during clean-up of spills. Keep in suitable, closed containers for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: When heated, material emits irritating fumes.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible Materials: Acids. Water. Lime.

Storage Temperature: < 65 °C (150 °F)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Specific End Use(s) Food Ingredient, Pharmaceutical, Water Treatment, General Industrial Use

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Particulates not otherwise classified (PNOC)				
USA ACGIH	ACGIH TWA (mg/m ³)	3 mg/m ³ Respirable fraction		
		10 mg/m ³ Total Dust		
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m ³ Respirable fraction		
		15 mg/m ³ Total Dust		
Alberta	OEL TWA (mg/m³)	10 mg/m ³ (total)		
British Columbia	OEL TWA (mg/m³)	10 mg/m ³ (total dust)		
Manitoba	OEL TWA (mg/m³)	10 mg/m ³ (inhalable particles, recommended)		
New Brunswick	OEL TWA (mg/m³)	3 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline		
		silica, respirable fraction)		
Newfoundland & Labrador	OEL TWA (mg/m³)	10 mg/m ³ (inhalable particles, recommended)		
Nova Scotia	OEL TWA (mg/m³)	10 mg/m ³ (inhalable particles, recommended)		
Nunavut	OEL TWA (mg/m³)	5 mg/m ³ (respirable mass)		
Northwest Territories	OEL TWA (mg/m³)	5 mg/m ³ (respirable mass)		
Ontario	OEL TWA (mg/m³)	10 mg/m ³ (inhalable)		
Prince Edward Island	OEL TWA (mg/m³)	10 mg/m ³ (inhalable particles, recommended)		
Québec	VEMP (mg/m³)	10 mg/m ³ (including dust, inert or nuisance particulates; containing no		
		Asbestos and <1% Crystalline silica-total dust)		
Saskatchewan	OEL STEL (mg/m³)	20 mg/m ³ (insoluble or poorly soluble-inhalable fraction)		
		6 mg/m ³ (insoluble or poorly soluble-respirable fraction)		
Saskatchewan	OEL TWA (mg/m³)	10 mg/m ³ (insoluble or poorly soluble-inhalable fraction)		
		3 mg/m ³ (insoluble or poorly soluble-respirable fraction)		

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: For occupational or bulk quantities: Gloves. Safety glasses. Dust formation: dust mask.



Materials for Protective Clothing: For occupational or bulk quantities: Chemically resistant materials and fabrics.

Hand Protection: For occupational or bulk quantities: Wear chemically resistant protective gloves.

Eye Protection: For occupational or bulk quantities: Chemical goggles or safety glasses.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: White, crystalline powder
Odor	: None
Odor Threshold	: Not available
рН	: 8.2 (1% Solution)
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

	-,	
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Upper/Lower Flammable Limit	:	Not available
Vapor Pressure	:	Not available
Relative Vapor Density at 20 °C	:	Not available
Specific gravity / density	:	62 lb/ft ³
Specific Gravity	:	Not available
Solubility	:	Water: 8.6 g/100ml @ 20 °C (68 °F)
Partition Coefficient: N-octanol/water	:	Not available
Viscosity	:	Not available
Explosion Data – Sensitivity to Mechanical Impact	:	Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	:	Not expected to present an explosion hazard due to static discharge.

Explosion Data – Sensitivity to Static Discharge

SECTION 10: STABILITY AND REACTIVITY

<u>Reactivity</u>: Hazardous reactions will not occur under normal conditions.

<u>Chemical Stability</u>: Decomposes slowly on exposure to water (moisture).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Exposure to moisture or moist air. Temperatures above 150°F (65 °C).

Incompatible Materials: Acids. Water. Lime.

Hazardous Decomposition Products: None known. At high temperature may liberate toxic gases.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified

LD50 and LC50 Data:

Sodium B	icarbonat
----------	-----------

LD50 Oral Rat	7.3 g/kg
LC50 Inhalation Rat	> 4.7 mg/l/4h

Skin Corrosion/Irritation: Not classified [pH: 8.2 (1% Solution)]

Serious Eye Damage/Irritation: Not classified [pH: 8.2 (1% Solution)]

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged inhalation of dust may cause respiratory irritation.

Symptoms/Injuries After Skin Contact: Skin contact with large amounts of dust may cause mechanical irritation.

Symptoms/Injuries After Eye Contact: Contact may cause irritation due to mechanical abrasion.

Symptoms/Injuries After Ingestion: Large doses may produce systemic alkalosis and expansion in extracellular fluid volume with edema.

Chronic Symptoms: None expected under normal conditions of use.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity No additional information available				
Sodium Bicarbonate				
LC50 Fish 1	7100 mg/l Bluegill			
EC50 Daphnia 1	4100 mg/l			
LC 50 Fish 2	7700 mg/l Rainbow Trout			
Sodium bicarbonate (144-55-8)				
LC50 Fish 1 8250 - 9000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])				
EC50 Daphnia 12350 mg/l (Exposure time: 48 h - Species: Daphnia magna)				

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Persistence and Degradability Not established

Bioaccumulative Potential Not established

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

SECTION 14: TRANSPORT INFORMATION

In Accordance with DOTNot regulated for transportIn Accordance with IMDGNot regulated for transportIn Accordance with IATANot regulated for transport

In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal & International Regulations

Sodium Bicarbonate (144-55-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

US State Regulations

Neither this product nor its chemical components appear on any US state lists.

Canadian Regulations

Sodium bicarbonate (144-55-8)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date
Other Information

: 03/12/2015

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Party Responsible for the Preparation of This Document

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

North America GHS US 2012 & WHMIS 2



Page 1 of 4 Alkaline Batteries March 2015

PRODUCT SAFETY DATA SHEET

PRODUCT NAME: Eveready / Energizer Battery	Type No.:	Volts:
TRADE NAMES: <u>ENERGIZER, ENERGIZER e², INDUSTRIAL ZMA, HERCULES,</u> <u>EVEREADY, WONDER</u>	Approximate Weight	:

CHEMICAL SYSTEM: Alkaline Manganese Dioxide-Zinc

Energizer has prepared copyrighted Product Safety Datasheets to provide information on the different Eveready/Energizer battery systems. Batteries are articles as defined under the GHS and exempt from GHS classification criteria (Section 1.3.2.1.1 of the GHS). The information and recommendations set forth herein are made in good faith, for information only, and are believed to be accurate as of the date of preparation. However, ENERGIZER BATTERY MANUFACTURING, INC. MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS INFORMATION AND DISCLAIMS ALL LIABILITY FROM REFERENCE ON IT.

Designed for Recharge: No

SECTION 1 - MANUFACTURER INFORMATION

Energizer Battery Manufacturing, Inc. 25225 Detroit Rd. Westlake, OH 44145 Telephone Number for Information: 800-383-7323 (USA / CANADA)

Date Prepared: March 2015

SECTION 2 – HAZARDS IDENTIFICATION

GHS classification: N/A

Signal Word: N/A

Hazard Classification: N/A

Under normal conditions of use, the battery is hermetically sealed.

Ingestion: Swallowing a battery can be harmful. Contents of an open battery can cause serious chemical burns of mouth, esophagus, and gastrointestinal tract.

Inhalation: Contents of an open battery can cause respiratory irritation.

Skin Contact: Contents of an open battery can cause skin irritation and/or chemical burns.

Eye Contact: Contents of an open battery can cause severe irritation and chemical burns.

SECTION 3 - INGREDIENTS

IMPORTANT NOTE: The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful.

MATERIAL OR INGREDIENT	PEL (OSHA)	TLV (ACGIH)	%/wt.
Graphite (CAS# 7782-42-5)	15 mg/m³ TWA (total dust)2 mg/m³ TWA (respirable fraction)5 mg/m³ TWA (respirable fraction)fraction)		2-6
Manganese Dioxide (CAS# 1313-13-9)	5 mg/m ³ Ceiling (as Mn)	0.2 mg/m ³ TWA (as Mn)	30-45
Potassium Hydroxide (CAS# 1310-58-3)	None established	2 mg/m ³ Ceiling	4-8
Zinc (CAS# 7440-66-6)	15 mg/m ³ TWA PNOR* (total dust) 5 mg/m ³ TWA PNOR* (respirable fraction)	10 mg/m ³ TWA PNOC** (inhalable particulate) 3 mg/m ³ TWA PNOC** (respirable particulate)	12-25



Page 2 of 4 Alkaline Batteries March 2015

Non-Hazardous Components Steel	None established	None established	18-22
(iron CAS# 65997-19-5 Water, Paper, Plastic and Other	None established	None established	Balance

* PNOR: Particulates not otherwise regulated

**PNOC: Particulates not otherwise classified

SECTION 4 – FIRST AID MEASURES

Ingestion: Do not induce vomiting or give food or drink. Seek medical attention immediately. CALL NATIONAL BATTERY INGESTION HOTLINE for advice and follow-up (202-625-3333) collect day or night.

Inhalation: Provide fresh air and seek medical attention.

Skin Contact: Remove contaminated clothing and wash skin with soap and water. If a chemical burn occurs or if irritation persists, seek medical attention.

Eye Contact: Immediately flush eyes thoroughly with water for at least 15 minutes, lifting upper and lower lids, until no evidence of the chemical remains. Seek medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

In case of fire, it is permissible to use any class of extinguishing medium on these batteries or their packing material. Cool exterior of batteries if exposed to fire to prevent rupture.

Fire fighters should wear self-contained breathing apparatus.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

To cleanup leaking batteries:

Ventilation Requirements: Room ventilation may be required in areas where there are open or leaking batteries.

Eye Protection: Wear safety glasses with side shields if handling an open or leaking battery. **Gloves:** Use neoprene or natural rubber gloves if handling an open or leaking battery. Battery materials should be collected in a leak-proof container.

SECTION 7 - HANDLING AND STORAGE

Storage: Store in a cool, well ventilated area. Elevated temperatures can result in shortened battery life.

Mechanical Containment: If potting or sealing the battery in an airtight or watertight container is required, consult your Energizer Battery Manufacturing, Inc. representative for precautionary suggestions. Batteries normally evolve hydrogen which, when combined with oxygen from the air, can produce a combustible or explosive mixture unless vented. If such a mixture is present, short circuits, high temperature, or static sparks can cause an ignition.

Do not obstruct safety release vents on batteries. Encapsulation (potting) of batteries will not allow cell venting and can cause high pressure rupture.

Handling: Accidental short circuit for a few seconds will not seriously affect the battery. Prolonged short circuit will cause the battery to lose energy, and can cause the safety release vent to open. Sources of short circuits include jumbled batteries in bulk containers, metal jewelry, metal covered tables or metal belts used for assembly of batteries into devices.

If soldering or welding to the battery is required, consult your Energizer Battery Manufacturing, Inc. representative for proper precautions to prevent seal damage or short circuit.

Charging: This battery is manufactured in a charged state. It is not designed for recharging. Recharging can cause battery leakage or, in some cases, high pressure rupture. Inadvertent charging can occur if a battery is installed backwards.

Labeling: If the Eveready / Energizer Battery label or package warnings are not visible, it is important to provide a package and/or device label stating:

WARNING: do not install backwards, charge, put in fire, or mix with other battery types. May explode or leak causing injury. **Replace all batteries at the same time.**

Where accidental ingestion of small batteries is possible, the label should include: Keep away from small children. If swallowed, promptly see doctor; have doctor phone (202) 625-3333 collect.



Page 3 of 4 Alkaline Batteries March 2015

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation Requirements: Not necessary under normal conditions.

Respiratory Protection: Not necessary under normal conditions.

Eye Protection: Not necessary under normal conditions.

Gloves: Not necessary under normal conditions.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.):	Solid object
Upper Explosive Limits:	Not applicable for an Article
Lower Explosive Limits	Not applicable for an Article
Odor	No odor
Vapor Pressure (mm Hg @ 25°C)	Not applicable for an Article
Odor Threshold	No odor
Vapor Density (Air = 1)	Not applicable for an Article
pH	Not applicable for an Article
Density (g/cm ³)	2.0 - 3.0
Melting point/Freezing Point	Not applicable for an Article
Solubility in Water (% by weight)	Not applicable for an Article
Boiling Point @ 760 mm Hg (°C)	Not applicable for an Article
Flash Point	Not applicable for an Article
Evaporation Rate (Butyl Acetate = 1)	Not applicable for an Article
Flammability	Not applicable for an Article
Partition Coefficient	Not applicable for an Article
Auto-ignition Temperature	Not applicable for an Article
Decomposition Temperature	Not applicable for an Article
Viscosity	Not applicable for an Article

SECTION 10 - STABILITY AND REACTIVITY

Alkaline batteries do not meet any of the criteria established in 40 CFR 261.2 for reactivity.



Page 4 of 4 Alkaline Batteries March 2015

SECTION 11 – TOXICOLOGICAL INFORMATION

Under normal conditions of use, alkaline batteries are non-toxic.

SECTION 12 – ECOLOGICAL INFORMATION

Issues such as ecotoxicity, persistence and bioaccumulation are not applicable for articles.

SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable federal, state and local regulations. Appropriate disposal technologies include incineration and land filling.

SECTION 14 – TRANSPORT INFORMATION

In general, all batteries in all forms of transportation (ground, air, or ocean) must be packaged in a safe and responsible manner. Regulatory concerns from all agencies for safe packaging require that batteries be packaged in a manner that prevents short circuits and be contained in "strong outer packaging" that prevents spillage of contents. All original packaging for Energizer alkaline batteries has been designed to be compliant with these regulatory concerns.

Alkaline batteries (sometimes referred to as "Dry cell" batteries) are not listed as dangerous goods under the ADR European Agreement Concerning the International Carriage of Dangerous Goods by Road, the IMDG International Maritime Dangerous Goods Code, UN Dangerous Good Regulations, IATA Dangerous Goods Regulations, ICAO Technical Instructions and the U.S. hazardous materials regulations (49 CFR). These batteries are not subject to the dangerous goods regulations provided they meet the requirements contained in the following special provisions.

Regulatory Body	Special Provisions	
ADR	Not regulated	
IMDG	Not regulated	
UN	Not regulated	
US DOT	49 CFR 172.102 Provision 130	
IATA	A123	
ICAO	Not regulated	

All Energizer alkaline batteries are packed in such a way to prevent short circuits or the generation dangerous quantities of heat and meet the special provisions listed above. In addition, the IATA Dangerous Goods Regulations and ICAO Technical Instructions require the words "not restricted" and the Special Provision number A123 be provided on the air waybill, when an air waybill is issued.

SECTION 15 - REGULATORY INFORMATION

Batteries marketed by Energizer Battery Manufacturing, Inc. are not classified as dangerous goods by the US Department of Transportation or the major international regulatory bodies and are therefore not regulated.

SARA/TITLE III - As an article, this battery and its contents are not subject to the requirements of the Emergency Planning and Community Right-To-Know Act.


SECTION 16 - OTHER INFORMATION

None.

Page 1/6

Printing date 11/19/2014

Reviewed on 03/21/2014



(Contd. on page 2)

Page 2/6

Safety Data Sheet acc. to OSHA HCS

Printing date 11/19/2014

Trade name: Calcium Carbonate, Powder

Reviewed on 03/21/2014

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Substances

CAS No. Description

471-34-1 Calcium Carbonate

Identification number(s)

EC number: 207-439-9

4 First-aid measures

Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions; None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 3)

Printing date 11/19/2014

Decomposition temperature:

· Auto igniting:

Danger of explosion:

Explosion limits: Lower:

Upper:

Reviewed on 03/21/2014

Control parameters Components with limit values that require monitoring at the workplace: 471-34-1 Calcium Carbonate PEL Long-term value: 13* 5** mg/m² *total dust **respirable fraction REL Long-term value: 10* 5** mg/m² *total dust **respirable fraction TLV Withdrawn •Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective equipment: Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material. Material of gloves The selection of the glove material on consideration of the penetration times, rates of diffusion and in degradation Material of gloves The selection is first were to manufacturer. Penteration fine of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Not required. Physical and chemical properties	аае па	me: Calcium Carbonate, Powd	er
Components with limit values that require monitoring at the workplace: 471-34-1 Calcium Carbonate PEL Long-term value: 15*5** mg/m ³ *total dust **respirable fraction REL Long-term value: 10*5** mg/m ³ *total dust **respirable fraction REL Long-term value: 10*5** mg/m ³ *total dust **respirable fraction TLV TLV withdrawn Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective and hygeinic measures: Wash hands before breaks and at the end of work. Breathing equipment: Not required. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material, but also on further marks of qual and varies from manufacturer of the suitable gloves does not only depend on the material, but also on further marks of qual and varies from manufacturer to manufacturer. Penetration time of glove material The selection of the suitable gloves does not only depend on the material, but also on further marks of qual and varies f			(Contd. of pag
471-34-1 Calcium Carbonate PEL Long-term value: 13* 5** mg/m ² *total dust **respirable fraction REL Long-term value: 10* 5** mg/m ² *total dust **respirable fraction TLY TV withdrawn •Additional information: The lists that were valid during the creation were used as basis. •Exposure controls Personal protective equipment: General protective equipment: Not required. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material, but also on further marks of qual and varies from manufacture to manufacturer. Selection of the suitable gloves does not only depend on the material, but also on further marks of qual and varies from manufacture to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Not required. Plysical and chemical properties General Information Appearance: Form: Powder, Granules or Chips Color: White	· Cont	rol parameters	
PEL Long-term value: 15* 5** mg/m³ *total dust **respirable fraction REL Long-term value: 10* 5** mg/m³ *total dust **respirable fraction TLV TLV withdrawn • Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Breathing equipment: Not required. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Beatrial of glove material on consideration of the penetration times, rates of diffusion and i degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qual and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Not required. Physical and chemical properties <td< th=""><th>· Com</th><th>ponents with limit values that re</th><th>equire monitoring at the workplace:</th></td<>	· Com	ponents with limit values that re	equire monitoring at the workplace:
*total dust **respirable fraction REL Long-term value: 10* 5 ** mg/m² *total dust **respirable fraction TLV TLV withdrawn • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls Personal protective equipment: • General protective equipment: • General protective equipment: Not required. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qual and varies from manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Not required. Information on basic physical and chemical properties General Information Appearance:	471-	34-1 Calcium Carbonate	
* total dust **respirable fraction TLV TLV Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective equipment: Not required. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and tageradation Material of gloves The suitable gloves does not only depend on the material, but also on further marks of qual and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Not required. Physical and chemical properties General Information Appearance: Form: Powder, Granules or Chips Color: White Odor: Odorless	PEL		
Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Breathing equipment: Not required. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qual and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Not required. Physical and chemical properties General Information Appearance: Form: Powder, Granules or Chips Color: White Odor: Odorless Odor: Not determined. pH-value (50 g/) at 20 °C (68 °F): 9.5 Change in condition<	REL		
Exposure controls Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Breathing equipment: Not required. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and i degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qual and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Not required. Physical and chemical properties General Information Appearance: Form: Powder, Granules or Chips Color: White Odor: Odorless Odour threshold: Not determined. pH-value (50 g/) at 20 °C (68 °F): 9.5 Change in condition Melting point/Helting range: 800 °C (1472 °F) Boiling point/Helting range: Not applicable.	TLV	TLV withdrawn	
Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Breathing equipment: Not required. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qual and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Not required. Playsical and chemical properties Form: Powder, Granules or Chips Color: Odorless Odor: Odorless Odour threshold: Not determined. pH-value (50 g/) at 20 °C (68 °F): 9.5 Change in con	· Addi	tional information: The lists that	t were valid during the creation were used as basis.
Information on basic physical and chemical properties General Information Appearance: Form: Powder, Granules or Chips Color: White Odor: Odorless Odour threshold: Not determined. PH-value (50 g/l) at 20 °C (68 °F): 9.5 Change in condition 800 °C (1472 °F) Boiling point/Beiling range: Undetermined. Flash point: Not applicable.	Due t the cl Selec degra Mate. The s and v Peneu The e obser	to missing tests no recommenda iemical mixture. ition of the glove material on idation rial of gloves election of the suitable gloves du aries from manufacturer to man tration time of glove material xact break through time has to ved.	tion to the glove material can be given for the product/ the preparation consideration of the penetration times, rates of diffusion and t oes not only depend on the material, but also on further marks of qual ufacturer.
Form: Powder, Granules or Chips Color: White Odor Odorless Odour threshold: Not determined. pH-value (50 g/l) at 20 °C (68 °F): 9.5 Change in condition Melting point/Melting range: 800 °C (1472 °F) Undetermined. Flash point: Not applicable.	Infor	mation on basic physical and cl	
Color: White Odor: Odorless Odour threshold: Not determined. pH-value (50 g/l) at 20 °C (68 °F): 9.5 Change in condition Melting point/Melting range: 800 °C (1472 °F) Undetermined. Flash point: Not applicable.			Powdar Granulas or Chine
Odour threshold: Not determined. pH-value (50 g/l) at 20 °C (68 °F): 9.5 Change in condition Melting point/Melting range: 800 °C (1472 °F) Undetermined. Flash point: Not applicable.			
pH-value (50 g/l) at 20 °C (68 °F): 9.5 • Change in condition Melting point/Melting range: 800 °C (1472 °F) Undetermined. • Flash point: Not applicable.	Odor.		Odorless
Change in condition 800 °C (1472 °F) Melting point/Melting range: Undetermined. Flash point: Not applicable.	Odou	r threshold:	Not determined.
Melting point/Melting range: 800 °C (1472 °F) Boiling point/Boiling range: Undetermined. Flash point: Not applicable.	pH-ve	alue (50 g/l) at 20 °C (68 °F):	9.5
•	Mei	ting point/Melting range:	
Flammability (solid, gaseous): Product is not flammable.	Flash	point:	Not applicable.
	Flam	mability (solid, gaseous):	Product is not flammable.

Not determined.

Not determined.

Not determined.

Not determined.

Product does not present an explosion hazard.

(Contd. on page 4)

USA

Printing date 11/19/2014

Trade name: Calcium Carbonate, Powder

Reviewed on 03/21/2014

		(Contd. of page 3
Vapor pressure at 20 °C (68 °F):	0 hPa	
Density at 20 °C (68 °F):	2.7 g/cm³ (22.532 lbs/gal)	
Bulk density at 20 °C (68 °F):	200-300 kg/m ^s	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water at 20 °C (68 °F):	0.013 g/l	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:	· · · · · · · · · · · · · · · · · · ·	
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No further relevant information available.	

10 Stability and reactivity

- Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

- Oral LD50 6450 mg/kg (rat)
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
 - Additional ecological information:
 - General notes: Generally not hazardous for water
 - Results of PBT and vPvB assessment
 - PBT: Not applicable.

(Contd. on page 5)

Printing date 11/19/2014

Reviewed on 03/21/2014

(Contd. of page 4)

Trade name: Calcium Carbonate, Powder

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, ADN, IMDG, IATA	Not regulated
UN proper shipping name DOT, ADN, IMDG, IATA	Not regulated
Transport hazard class(es)	
DOT	Not applicable
Class	Not regulated
ADN/R Class:	Not regulated
Packing group	
DOT, IMDG, IATA	Not regulated
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	
Remarks:	Not regulated
IMDG	
Remarks:	Not regulated
IATA	
Remarks:	Not regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.

(Contd. on page 6)

Page 6/6

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/21/2014

Trade name: Calcium Carbonate, Powder

(Contd. of page 5)

· Chemicals known to cause developmental toxicity: Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency) Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH) Substance is not listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.

· GHS label elements

Printing date 11/19/2014

- The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms Not Applicable
- Signal word Warning

Hazard statements

Causes eye irritation.

- Precautionary statements
- Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing,

- If eye irritation persists: Get medical advice/attention.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.


- Department issuing SDS: Environment protection department.
- Contact: Mr. Nelson
 Date of preparation / last revision
 Creation date for SDS 10-02-2014. STN
 11/19/2014 / Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
 Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transport Association
 ATA: International Mir Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 L250: Lethal concentration, 50 percent
 Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

Page 1/7

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/17/2014




Page 2/7

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/17/2014



Page 3/7

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/17/2014

Trade name: Calcium Chloride 4-8 Mesh Dessicant Grade, Anhydrous

(Contd. of page 2)

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling Prevent formation of dust.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. **Protection of hands:**
- The second

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Page 4/7

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/17/2014

Trade name: Calcium Chloride 4-8 Mesh Dessicant Grade, Anhydrous

(Contd. of page 3) · Eye protection: Tightly sealed goggles 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Powder White Color: Odor: Odorless · Odour threshold: Not determined. · pH-value: Not applicable. Change in condition Melting point/Melting range: 782 °C (1440 °F) > 1600 °C (> 2912 °F) Boiling point/Boiling range: · Flash point: Not applicable. · Flammability (solid, gaseous): Product is not flammable. · Ignition temperature: Decomposition temperature: Not determined. Auto igniting: Not determined. Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. · Vapor pressure: Not applicable. · Density at 20 °C (68 °F): 2.15 g/cm3 (17.942 lbs/gal) · Relative density Not determined. · Vapour density Not applicable. Evaporation rate Not applicable. · Solubility in / Miscibility with 740 g/l Water at 20 °C (68 °F): Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Other information No further relevant information available.

(Contd. on page 5)

USA

Page 5/7

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/17/2014

Trade name: Calcium Chloride 4-8 Mesh Dessicant Grade, Anhydrous

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity
- Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 1000 mg/kg (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Carcinogenic categories
- IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. (Contd. on page 6)

USA

Page 6/7

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/17/2014

Trade name: Calcium Chloride 4-8 Mesh Dessicant Grade, Anhydrous

(Contd. of page 5)

· Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADN, IMDG, IATA	Not Applicable	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not Applicable	
Transport hazard class(es)		
DOT, IMDG		
Class	Not Applicable	
Label		
ADN/R Class:	Not Applicable	
Packing group		
DOT, IMDG, IATA	Not Applicable	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex 1	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): Substance is listed.
- Proposition 65
- Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 7)

Page 7/7

USA

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/17/2014

Trade name: Calcium Chloride 4-8 Mesh Dessicant Grade, Anhydrous (Contd. of page 6) · Hazard pictograms · Signal word Warning Hazard statements Causes serious eye irritation. Precautionary statements Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing MSDS: Environment protection department. · Contact: Mr. Nelson Date of preparation / last revision Creation date for SDS 03-21-2014 STN 08/12/2014/- Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent


Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Page 1/7

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/03/2014



Page 2/7

(Contd. of page 1)

Reviewed on 02/03/2014

Safety Data Sheet acc. to OSHA HCS

Trade name: Citric Acid Anhydrous, Laboratory Grade

Fire = 0
 Fire = 0
 REACTIVITY
 Reactivity = 0
 Other hazards
 Results of PBT and vPvB assessment
 PBT: Not applicable.

Health = 1

Health = 1 Fire = 0 Reactivity = 0

• vPvB: Not applicable.

Printing date 08/12/2014

· NFPA ratings (scale 0 - 4)

· HMIS-ratings (scale 0 - 4)

HEALTH

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 77-92-9 Citric Acid, Anhydrous
- Identification number(s)
- EC number: 201-069-1

4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.

(Contd. on page 3)

Page 3/7

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/03/2014

(Contd. of page 2)

Trade name: Citric Acid Anhydrous, Laboratory Grade

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling No special precautions are necessary if used correctly.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

-USA

Page 4/7

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/03/2014

Trade name: Citric Acid Anhydrous, Laboratory Grade

(Contd. of page 3) Eye protection: Tightly sealed goggles 9 Physical and chemical properties Information on basic physical and chemical properties · General Information Appearance: Form: Crystalline Color: White Odor: Odorless · Odour threshold: Not determined. · pH-value (100 g/l) at 20 °C (68 °F): 1.6 · Change in condition Melting point/Melting range: Information not °C Boiling point/Boiling range: Information not °C Not applicable. · Flash point: · Flammability (solid, gaseous): Product is not flammable. 1010 °C (1850 °F) Ignition temperature: · Decomposition temperature: Not determined. Auto igniting: Not determined. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Not determined. Upper: · Vapor pressure: Not applicable. · Density at 20 °C (68 °F): 1.542 g/cm3 (12.868 lbs/gal) · Bulk density at 20 °C (68 °F): 900 kg/m³ Relative density Not determined. · Vapour density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with Water at 20 °C (68 °F): 600 g/l · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. • Other information No further relevant information available. -USA

(Contd. on page 5)

Page 5/7

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/03/2014

Trade name: Citric Acid Anhydrous, Laboratory Grade

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 5040 mg/kg (mouse)

Intraperitoneal 375 mg/kg (rat)

Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

· Carcinogenic categories

- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pHvalue harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- PBT: Not applicable.

vPvB: Not applicable.

· Other adverse effects No further relevant information available.

(Contd. on page 6)

USA

Page 6/7

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/03/2014

Trade name: Citric Acid Anhydrous, Laboratory Grade

(Contd. of page 5)

13 Disposal considerations

· Waste treatment methods

 Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADN, IMDG, IATA	Not Applicable
UN proper shipping name DOT, ADN, IMDG, IATA	Not Applicable
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	Not Applicable
Packing group DOT, IMDG, IATA	Not Applicable
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	: II of Not applicable.
Transport/Additional information:	
DOT	Not Regulated
UN "Model Regulation":	•

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
 Sara

Section 355 (extremely hazardous substances): Substance is not listed.

- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): Substance is listed.

· Proposition 65

- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.

Chemicals known to cause developmental toxicity: Substance is not listed.

· Carcinogenic categories

- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.

(Contd. on page 7)

Page 7/7

USA

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 02/03/2014

Trade name: Citric Acid Anhydrous, Laboratory Grade

(Contd. of page 6) • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

- · Hazard statements
- Causes serious eye irritation.
- · Precautionary statements
- Wear protective gloves/protective clothing/eye protection/face protection.
- Wash thoroughly after handling.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing MSDS: Environment protection department.
- Contact: Mr. Nelson
- Date of preparation / last revision
- Creation date for SDS 08/12/2014 LS 08/12/2014 / -
- Abbreviations and acronyms:

ADR: Accord suropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

DOT: US Department of Transportation

ACGIH: American Conference of Governmental Industrial Hygienists

- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A



SAFETY DATA SHEET

			Page 1 01 4		
SECTION 1: PRODUCT	AND COMPA	ANY IDENTIFICATION			
PRODUCT IDENTIFIER	CELAPOOL™	CELAPOOL TM			
CHEMICAL NAME	Diatomaceous Ear	th, Flux-Calcined			
CHEMICAL FAMILY	Silica				
MATERIAL USE	Filter Aid				
RESTRICTION ON USE	None Known				
MANUFACTURER	EP Minerals, LLC.	, 9875 Gateway Dr., Reno, NV 89521			
TELEPHONE NO.	(775) 824 7600 (M	onday – Friday 8:00 am PST – 5:00 pm PS ⁻	Γ)		
EMERGENCY TELEPHONE NO.	(775) 824 7600 (M	onday – Friday 8:00 am PST – 5:00 pm PS	Γ)		
SDS DATE OF PREPARATION	January 31, 2014				
SECTION 2: HAZARDS	IDENTIFICAT	ΓΙΟΝ			
OSHA GHS HAZARD CLASSIFICATION	Carcinogen Catego Specific Target Org	ory 1A gan Toxicity, Repeated Exposure Category	1		
HAZARDS NOT OTHERWISE CLASSIFIED	None				
LABEL ELEMENTS	DANGER May cause cancer by inhalation. Causes damage to lungs through prolonged or repeated exposure. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wear eye protection. If exposed or concerned: Get medical advice. Dispose of contents in accordance with local, state and federal regulations.				
SECTION 3: COMPOSI	rion / Infor	MATION ON INGREDIENTS	,		
INGREDIENT IDENTIFIC	ATION	APPROXIMATE CONCENTRATION (%)	C.A.S. NUMBERS		
Diatomaceous Earth, Flux-Calcined (k (contains 35-50% Crystalline Silica - C		100%	68855-54-9 14464-46-1		
SECTION 4: FIRST AID	MEASURES				
EYE	Flush eyes with generous quantities of water or eye rinse solution. Consult physician if irritation persists.				
SKIN	Use moisture renewing lotions if dryness occurs.				
INGESTION	Drink generous amounts of water to reduce bulk and drying effects.				
INHALATION	Remove to fresh air. Blow nose to evacuate dust.				
Most important symptoms/effects, acute and delayed	Dust may cause abrasive irritation to eyes. Prolonged skin contact may cause dryness. Dust may cause nose, throat and upper respiratory tract irritation. Prolonged inhalation of respirable dust containing silica may cause a progressive lung disease, silicosis and lung cancer. See Section 11 for additional information.				
Indication of immediate medical attention and special treatment, if necessary	Immediate medical	attention is not normally required. If dust irr	ritates the eyes, seek medical attention.		

MATERIAL NAME	CELAPO	OL™			Page 2 of 4	
SECTION 5: FIRE FIGHT	ING MI	EASURES				
EXTINGUISHING MEDIA	Not applic	Not applicable, the material is not combustible.				
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Not applic	Not applicable, the material is not combustible.				
SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS	Not applic	Not applicable, the material is not combustible.				
SECTION 6: ACCIDENT	AL REL	EASE MEASUR	ES			
PERSONAL PRECAUTIONS		present, use respirator fitte eathe dust.	ed with particulate fil	ter as specified in Section 8. Protect	ct eyes with goggles.	
ENVIRONMENTAL PRECAUTIONS	This mate	erial is not a significant en	vironmental concern			
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	Vacuum o	clean spillage or wet swee	p. Avoid creating ai	rborne dust. Place in a container for	r use or disposal.	
SECTION 7: HANDLING	AND S	TORAGE				
PRECAUTIONS FOR SAFE HANDLING		dust generation. Avoid co all label precautions and v		o not breathe dust. Repair or dispose	e of broken bags.	
CONDITIONS FOR SAFE STORAGE		a dry place to maintain pac ated caustic solutions.	kaging integrity and	product quality. Do not store near	hydrofluoric acid or	
SECTION 8: EXPOSURE		ROLS / PERSON	NAL PROTEC	TION		
EXPOSURE GUIDELINES:						
Component		OSHA PEL	ACGIH TLV	MSHA PEL	NIOSH REL	
Diatomaceous Earth, Flux-Calcined (kieselguhr)		5 mg/m ³ respirable dust 15 mg/m ³ total dust	None Established	5 mg/m ³ respirable dust 15 mg/m ³ total dust	None Established	
Crystalline Silica (Cristobalite)		<u>1</u> x <u>30 mg/m³</u> 2 % SiO ₂ +2 total dust	0.025 mg/ m ³ Respirable dust	$\frac{1}{2} \times \frac{30 \text{ mg/m}^3}{\% \text{ SiO}_2+2}$ total dust	0.05 mg/ m ³ Respirable dust	
		$\frac{1}{2} \times \frac{10 \text{ mg/m}^3}{\% \text{ SiO}_2+2}$ Respirable dust		1_x <u>10 mg/m³</u> 2 % SiO₂+2 Respirable dust		
ENGINEERING CONTROLS				within recommended exposure limits s for design of ventilation systems.	s. Refer to ACGIH	
PERSONAL PROTECTIVE EQUIPMENT:						
EYE / FACE PROTECTION	Goggles t	to protect from dust				
SKIN PROTECTION	No specia	al equipment is needed.				
RESPIRATORY PROTECTION	Respirators fitted with filters certified to standard 42CFR84 under series N95 should be worn when dust is present. If the dust concentration is less than ten (10) times the Permissible Exposure Limit (PEL) use a quarter or half-mask respirator with a N95 dust filter or a single use dust mask rated N95. If dust concentration is greater than ten (10) times and less than fifty (50) times the PEL, a full-face piece respirator fitted with replaceable N95 filters is recommended. If dust concentration is greater than fifty (50) and less than two hundred (200) times the PEL use a power air-purifying (positive pressure) respirator with a replaceable N95 filter. If dust concentration is greater than two hundred (200) times the PEL use a type C, supplied air respirator (continuous flow, positive pressure), with full face piece, hood or helmet.					
GENERAL HYGIENE	Avoid bre	athing dust. Avoid contac	t with eyes. Wash	hands after handling and before eat	ting or drinking.	

	Ι			I
MATERIAL NAME	CELAPOOL™			Page 3 of 4
SECTION 9: PHYSICAL	AND CHEMICAL PRO	PERTIES		
APPEARANCE, COLOR	Light pink to white powder ODOR Odorless		ess	
PHYSICAL STATE	Solid ODOR THRESHOLD Not applicable			
VAPOR PRESSURE	Not applicable	VAPOR DENSITY	Not app	licable
BOILING POINT	Not applicable	MELTING POINT	> 130	0° C
FLASH POINT	Not applicable	pH (10% SUSPENSION)	10)
FLAMMABILITY LIMITS	Not applicable	EVAPORATION RATE	Not app	licable
DECOMPOSITION TEMPERATURE	> 1300° C	SPEC. GRAVITY / RELATIVE DENSITY	2.3	3
AUTOIGNITION TEMPERATURE	Not applicable	PARTITION COEFFICIENT – n- OCTANOL/WATER	Not app	licable
FLAMMABILITY (solid/gas)	Not applicable	SOLUBILITY - WATER	< 19	%
		VISCOSITY	Not app	licable
SECTION 10: STABILIT	Y AND REACTIVITY			
REACTIVITY	Material is not reactive.			
CHEMICAL STABILITY	Material is stable.			
POSSIBILITY OF HAZARDOUS REACTIONS	Material is not reactive under normal conditions of handling unless mixed with incompatible substances below.			
CONDITIONS TO AVOID	Not applicable			
INCOMPATIBLE MATERIALS	Hydrofluoric acid and concentrated caustic solutions may react violently with the product.			
HAZARDOUS DECOMPOSITION PRODUCTS	Not applicable			
SECTION 11: TOXICOL	COLOGICAL INFORMATION			
POTENTIAL HEALTH EFFECTS				
Likely Routes of Exposure	See below			
EYE	May cause irritation (tear formation and redness) if dust gets in eyes.			
SKIN	Not absorbed by the skin, but may cause dryness if prolonged exposure.			
INGESTION	Ingestion of small quantities is not considered harmful, but may cause irritation of the mouth, throat and stomach.			
INHALATION	Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general throat irritation. Acute inhalation of high concentrations of respirable crystalline silica may cause acute silicosis.			
CHRONIC EFFECTS	This product contains crystalline silica. Respirable crystalline silica may cause lung cancer and lung disease (silicosis) if inhaled for prolonged periods. Symptoms of silicosis include wheezing, cough and shortness of breath.			
CARCINOGENICITY	Flux-calcined diatomaceous earth (Kieselguhr) is composed of amorphous and crystalline silica. Respirable crystalline silica (cristobalite) is classified by IARC and NTP as a known human carcinogen. Crystalline silica is only known to cause cancer when inhaled in a respirable form. It is not known to cause cancer by any other route of exposure.			
NTP	Respirable crystalline silica (cristobalite) is classified as a known human carcinogen.			
IARC	Respirable crystalline silica (crist	Respirable crystalline silica (cristobalite) is classified as a known human carcinogen.		
NUMERICAL MEASURES OF TOXICITY	No data available			
CORROSIVENESS, SENSITIZATION, IRRITANCY	Not applicable			

MATERIAL NAME	CELAPOOL [™] Page 4 of 4		
REPRODUCTIVE TOXICITY	Not available		
TERATOGENICITY, MUTAGENICITY	Not available		
SECTION 12: ECOL	OGICAL INFORMATION		
ECOTOXICITY:	Diatomaceous earth products have shown some efficacy as a natural insecticide, but otherwise have no demonstrated toxicity in regards to aquatic or terrestrial life.		
PERSISTENCE AND DEGRADABILITY	Non-biodegradable, inert.		
BIOACCUMULATIVE POTENT	IAL Little potential for bioaccumulation		
MOBILITY IN SOIL	No mobility		
OTHER ADVERSE EFFECTS	None known		
SECTION 13: DISPO	SAL CONSIDERATIONS		
WASTE DISPOSAL	If this material as supplied becomes a waste, use solid waste disposal common to landfill type operations or in slurry to sumps. Not considered a hazardous waste under RCRA (40CFR Part 261).		
PACKAGING DISPOSAL	Dispose of in accordance with applicable laws and regulations, typically solid waste disposal common to landfill type operations.		
SECTION 14: TRANS	SPORT INFORMATION		
BASIC SHIPPING INFORMATI	ON DOT shipping classification 55 (no restrictions). Technical name is "Diatomaceous Earth".		
ADDITIONAL INFORMATION	No special requirements or placarding necessary.		
SECTION 15: REGU	LATORY INFORMATION		
U.S. FEDERAL:			
TSCA	Diatomaceous Earth and Cristobalite appear on the EPA TSCA inventory list.		
CERCLA	Diatomaceous Earth is not classified as a hazardous substance under regulations of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA), 40 CFR 302.		
SARA TITLE III	Not listed.		
California Proposition 65:	This product contains crystalline silica, a chemical known to the State of California to cause cancer.		
INTERNATIONAL:			
WHMIS Classification	Class D-2-A		
WHMIS Ingredient Disclosure List	Silica, crystalline, cristobalite		
SECTION 16: OTHE	R INFORMATION		
	Image: Second state of the se		
ORIGINAL ISSUE DATE	November 18, 1985		
REVISION DATE	April 21, 2015		
REVISION NO.	12		


Disclaimer: As of the date of the preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state laws. No warranty, representation or guaranty of any kind, express or implied, is hereby provided or intended with respect to the completeness of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by the purchase, resale, use or exposure to our product. Customer users of silica must comply with all applicable health and safety laws, regulations and orders, including OSHA Hazardous Communication Standard.

Page 1/7

Safety Data Sheet acc. to OSHA HCS

Printing date 11/13/2014

Reviewed on 03/26/2014



Page 2/7

Safety Data Sheet acc. to OSHA HCS

Printing date 11/13/2014

Reviewed on 03/26/2014

(Contd. of page 1)

Trade name: Epsom Salts (Magnesium Sulfate Heptahydrate)

vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description
- 10034-99-8 Magnesium Sulfate Heptahydrate
- Identification number(s)
 EC number: 231-298-2
- EC number: 231-298-2

4 First-aid measures

Description of first aid measures

- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters

Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling No special measures required.
 Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.

(Contd. on page 3)

Page 3/7

Safety Data Sheet acc. to OSHA HCS

Printing date 11/13/2014

Reviewed on 03/26/2014

(Contd. of page 2)

Trade name: Epsom Salts (Magnesium Sulfate Heptahydrate)

· Further information about storage conditions: None.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace: Not required.

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Not required.

9 Physical and chemical properties

Appearance:		
Form:	Crystalline	
Color:	White	
Odor:	Odorless	
Odour threshold:	Not determined.	
pH-value (50 g/l) at 25 °C (77 °F):	5 - 8	
Change in condition		
Melting point/Melting range:	1124 °C (2055 °F)	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	

Page 4/7

Safety Data Sheet acc. to OSHA HCS

Printing date 11/13/2014

Reviewed on 03/26/2014

Trade name: Epsom Salts (Magnesium Sulfate Heptahydrate)

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	1.67 g/cm ³ (13.936 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water at 20 °C (68 °F):	246 g/l	
Partition coefficient (n-octanol/w	ater): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity

- Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Oral	LD50	not available mg/kg (rat)
Dermal	LD50	not available mg/kg (rat)
Inhalative	LC50/4 h	not available mg/l (rat)
Irritation of skin	Skin Corrosion/Irritation	not available (rat)
Irritation of eyes	Eye damage/eye irritation	not available (rabbit)
Germ cell mutagenicity not available (rat)		
Additional toxico	rritant effect. ritating effect. sensitizing effects known. logical information:	ications, the product does not have any harmful effects according

The substance is not subject to classification.

(Contd. on page 5)

Page 5/7

Safety Data Sheet acc. to OSHA HCS

Printing date 11/13/2014

Reviewed on 03/26/2014

Trade name: Epsom Salts (Magnesium Sulfate Heptahydrate)

(Contd. of page 4)

Carcinogenic categories

- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:

General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADN, IMDG, IATA	Not regulated	
UN proper shipping name	· · · · · · · · · · · · · · · · · · ·	
DOT, ADN, IATA	Not regulated	
IMDG	Not Regulated	
		1
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	Not regulated	
Packing group		
DOT, IMDG, IATA	Not regulated	
	Norregarated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

Page 6/7

Safety Data Sheet acc. to OSHA HCS

Printing date 11/13/2014

Reviewed on 03/26/2014

Trade name: Epsom Salts (Magnesium Sulfate Heptahydrate)

		(Contd. of page
· Transport/Additional information:		
· DOT · Remarks:	Not regulated	
· IMDG · Remarks:	Not regulated	
· IATA · Remarks:	Not regulated	
· UN "Model Regulation":	Not regulated	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
 Sara

- Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): Substance is listed.
- Proposition 65
- Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- Chemicals known to cause developmental toxicity: Substance is not listed.
- Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- ·NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- GHS label elements Not Applicable
- Hazard pictograms Not Applicable
- Signal word Not Applicable
- Hazard statements Not Applicable
- Precautionary statements

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- If swallowed: Call a poison center/doctor if you feel unwell.
- If on skin: Wash with plenty of water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

- Contact: Mr. Nelson
- Date of preparation / last revision
- Creation date for SDS 08-06-2014. STN
- 11/13/2014/-

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 7)

[·] Abbreviations and acronyms:

Page 7/7

Safety Data Sheet acc. to OSHA HCS

Printing date 11/13/2014

Reviewed on 03/26/2014

Trade name: Epsom Salts (Magnesium Sulfate Heptahydrate)

(Contd. of page 6)

USA

DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LCS0: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent



SAFETY DATA SHEET

1. Identification

Product identifier	Sodium Chloride Food-Industrial (YPS Treated)
Other means of identification	
SDS number	S3
Synonyms	Diamond Crystal® Granulated Salt. * Flo-Ever® Granulated Salt - CMF®. * Gulf Shore Boat & Boil® Salt. * Flo-Ever® Fine Granulated Salt - CMF®. * Top-Flo® Plus Granulated Salt. * Top-Flo® Granulated Salt. * Hi-Tex® Granulated Salt. * Fine Blending Granulated Salt - YPS Treated. * Premier™Extra Coarse Flake Salt. * Sodium Chloride (Salt). * Premier™Select Coarse Flake Salt. * Premier™Topping Flake Salt. * Premier™Fine Flake Salt. * Purified Sea Salt with YPS. * Private Label Granulated Salt. * Sodium Chloride (Salt) - Treated with Yellow Prussiate of Soda (YPS). * Seafarer's® Fine Salt.
Recommended use	Salt may be intended for food or animal feed (agricultural) as well as several industrial applications including deicing and water conditioning.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
Company name	Cargill Incorporated
Address	Minneapolis, MN 55440
Telephone	1-888-385-7258
Website	www.cargillsalt.com
Emergency telephone number	CHEMTREC (800) 424-9300

2. Hazard(s) identification

Physical hazards	Not classified.
Health Hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures			
Chemical name	CAS number	%	
Sodium Chloride	7647-14-5	99.9987-99.9995	
Sodium Ferrocyanide Decahydrate	13601-19-9	0.0005-0.0013	

GRAS Substance (Generally Recognized As Safe).

4. First-aid measures

Inhalation	If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Give one or two glasses of water if patient is alert and able to swallow. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	This product is not flammable or combustible.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Avoid inhalation of dust from the spilled material. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Avoid release to the environment. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Provide appropriate exhaust ventilation at places where dust is formed. Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes. Avoid contact with water and moisture. Keep away from strong acids. Practice good housekeeping.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Becomes hygroscopic at 70-75% relative humidity. Avoid humid or wet conditions as product will cake and become hard.

8. Exposure controls/personal protection

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing.
Individual protection measures,	such as personal protective equipment
Eye/face protection	Unvented, tight fitting goggles should be worn in dusty areas.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear suitable protective clothing.

Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

9. Physical and chemical p	broperties
Appearance	White crystalline solid
Physical state	Solid.
Form	Crystalline solid.
Color	White.
Odor	Halogen odor
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	1473.8 °F (801 °C)
Initial boiling point and boiling range	2669 °F (1465 °C) (760 mmHg)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	2.4 mm Hg (1376.6 °F (747 °C))
Vapor density	Not available.
Relative density	2.16 (H2O = 1)
Solubility(ies)	
Solubility (water)	26.4 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Bulk density	53 - 83 lb/ft ³
Molecular formula	NaCl
Molecular weight	58.44
pH in aqueous solution	4 - 9
10 Stability and reactivity	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Incompatible materials	Avoid contact with strong acids. Becomes corrosive to metals when wet.

11. Toxicological information

Information on likely routes of ex	xposure
Inhalation	Inhalation of dusts may cause respiratory irritation.
Skin contact	Prolonged or repeated skin contact may cause irritation.
Eye contact	Dust in the eyes will cause irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Eye and skin contact: Exposure may cause temporary irritation, redness, or discomfort. For ingestion, consuming less than a few grams would not be harmful. The following effects were observed after ingesting an excessive quantity: nausea and vomiting, diarrhea, cramps, restlessness, irritability, dehydration, water retention, nose bleed, gastrointestinal tract damage, fever, sweating, sunken eyes, high blood pressure, muscle weakness, dry mouth and nose, shock, cerebral edema (fluid on brain), pulmonary edema (fluid in lungs), blood cell shrinkage, and brain damage (due to dehydration of brain cells). Death is generally due to cardiovascular collapse or CNS damage.

Information on toxicological effects

Acute toxicity

In some cases of confirmed hypertension, ingestion may result in elevated blood pressure.

Components	Species	Test Results
Sodium Chloride (CAS 7647-14-5)		
Acute		
Oral		
LD50	Mouse	4000 mg/kg
	Rat	3000 mg/kg
Other		
LD50	Mouse	2602 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary	irritation.
Serious eye damage/eye rritation	Dust in the eyes will cause irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
OSHA Specifically Regulated Not listed.	l Substances (29 CFR 1910.1001-1050)	
Reproductive toxicity	This product is not expected to cause reprodu	ctive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - epeated exposure	Not classified.	
Aspiration hazard	Due to the physical form of the product it is not an aspiration hazard.	
12. Ecological information		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
	Species	Test Results

Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	340.7 - 469.2 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	4747 - 7824 mg/l, 96 hours

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	None known.

13. Disposal considerations

Disposal instructions Local disposal regulations	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Hazard categories

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List
Not regulated.
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.
Safe Drinking Water Act Not regulated.
(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	21-August-2014
Revision date	-
Version #	01
HMIS® ratings	Health: 1 Flammability: 0 Physical hazard: 0 Personal protection: A
Disclaimer	All statements, technical information and recommendations contained herein are, the best of our knowledge, reliable and accurate; however no warranty, either expressed or implied is made with respect thereto, nor will any liability be assumed for damages resultant from the use of the material described.
	It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations. It is also the responsibility of the user to maintain a safe workplace. The user should consider the health hazards and safety information provided herein as a guide and should take the necessary steps to instruct employees and to develop work practice procedures to ensure a safe work environment.
	This information is not intended as a license to operate under, or a recommendation to practice or infringe upon any patent of this Company or others covering any process, composition of matter or use.

Printing date 11/17/2014

Reviewed on 11/17/2014

1 Identification

- · Product identifier
- · Trade name: Kosher Salt
- Article number: 191-1117
- CAS Number: 7647-14-5
- EC number:
- 231-598-3
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org Product safety department
- *Emergency telephone number: Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

• *Classification of the substance or mixture The substance is not classified according to the Globally Harmonized System (GHS).*

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- Hazard statements Not Applicable
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

Printing date 11/17/2014

Reviewed on 11/17/2014

Trade name: Kosher Salt

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 7647-14-5 Sodium Chloride
- · Identification number(s)
- EC number: 231-598-3

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 3)

USA

Printing date 11/17/2014

Reviewed on 11/17/2014

Trade name: Kosher Salt

(Contd. of page 2)

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Crystalline

Color:	White	
· Odor:	Odorless	
· Odour threshold:	Not determined.	
• <i>pH-value at 20</i> • <i>C</i> (68 • <i>F</i>):	6-9	
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Information not °C 1413 °C (2575 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
	(Contd. on p	page 4)

Printing date 11/17/2014

Reviewed on 11/17/2014

Trade name: Kosher Salt

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
• Density at 20 •C (68 •F):	2.165 g/cm ³ (18.067 lbs/gal)	
• Bulk density at 20 •C (68 •F):	800-1600 kg/m ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water at 20 •C (68 •F):	358 g/l	
· Partition coefficient (n-octanol/wa	t ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Organic solvents:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7647-14-5 Sodium Chloride

Oral LD50 3000 mg/kg (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us. The substance is not subject to classification.

(Contd. on page 5)

USA

Printing date 11/17/2014

Reviewed on 11/17/2014

Trade name: Kosher Salt

(Contd. of page 4)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, IATA	Not regulated	
·IMDG	Not Regulated	
· Transport hazard class(es)		
· DOT, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	
· Environmental hazards:		
· Marine pollutant:	No	

Printing date 11/17/2014

Reviewed on 11/17/2014

Trade name: Kosher Salt

	(Contd. of)	page :
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· Transport/Additional information:		
· DOT · Remarks:	Not regulated	
· IMDG · Remarks:	Not regulated	
· IATA · Remarks:	Not regulated	
· UN ''Model Regulation'':	Not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements Not Applicable

· Hazard pictograms Not Applicable

• Signal word Not Applicable

· Hazard statements Not Applicable

(Contd. on page 7)

USA

Printing date 11/17/2014

Reviewed on 11/17/2014

Trade name: Kosher Salt

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Date of preparation / last revision 11/17/2014 / Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

[·] Contact: Mr. Nelson