SDS No.: NN1220 SAFETY DATA SHEET GENERAL STORAGE CODE GREEN

Section 1 Chemical Product and Company Identification

Aldon Corporation

221 Rochester Street Avon, NY 14414 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

Page E1 of E2

Product ACTIVATOR SOLUTION

Synonyms None

Section 2

Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None required Pictograms: No symbol required Target organs: None known

GHS Classification: None required

GHS Label information: Hazard statement: None required

Precautionary statement: None required

## Supplemental information:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information	on Ingredients			
Chemical Name	CAS#	%	EINECS	
Water Non-hazardous proprietary ingredients	7732-18-5 Undisclosed	98.0% 2.0%	231-791-2 Undisclosed	

# Section 4 First Aid Measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

# Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

# Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage Page E2 of E2

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	No components listed	None established	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

### Section 9 Physical & Chemical Properties

Appearance: Liquid. Clear, uncolored.

Odor: No odor.

Section 10

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water)
Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Stability & Reactivity

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available.
Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures to cause evaporation.

Incompatible materials: Strong oxidizers.

Hazardous decomposition products: Carbon oxides.

# Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: May cause respiratory tract irritation. Ingestion: May cause gastrointestinal irritation.

Skin: Repeated or prolonged contact with skin may cause irritation.

Eyes: Contact may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is

not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: Data not available

## Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number:Not applicableShipping name:Not RegulatedHazard class:Not applicablePacking group:Not applicable

roup: Not applicable Reportable Quantity: No Marine pollutant: No

Exceptions: Not applicable 2012 ERG Guide # Not applicable

# Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
All components listed with the following agencies	Listed	Not listed	Not listed	Listed	Not listed

# Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision 06/2015 Revision Date: August 13, 2015 Supercedes: August 13, 2015

Page E1 of E2

#### Section 1 **Chemical Product and Company Identification**



221 Rochester Street Avon. NY 14414 (585) 226-6177

**CHEMTREC 24 Hour Emergency** Phone Number (800) 424-9300 For laboratory use only

Not for drug, food or household use.

**GREEN PLANT PIGMENT** Product

Synonyms Chlorophyll Concentrate

Section 2 Hazards Identification

Signal word: DANGER

Pictograms: GHS02 / GHS06 / GHS08

Target organs: Central nervous system, Liver, Kidneys, Heart







#### GHS Classification:

Flammable liquid (Category 3) Acute toxicity, oral (Category 3) Acute toxicity, dermal (Category 3) Acute toxicity, inhalation (Category 3) STOT-SE (Category 1)

### GHS Label information: Hazard statement:

H226: Flammable liquid and vapour.

H301: Toxic if swallowed. H311: Toxic in contact with skin H331: Toxic if inhaled.

H370: Causes damage to organs.

### Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking

P233: Keep container tightly closed.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P330: Rinse mouth.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P308+P312: IF exposed or concerned: Call a POISON CENTER or doctor if you feel unwell

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause reproductive toxicity (Methanol, developmental).

Section 3 Composition / Inform	ation on Ingredients			
Chemical Name	CAS#	%	EINECS	
Deionized water	7732-18-5	74.5%	231-791-2	
Methanol	67-56-1	12.0%	200-659-6	
Chlorophyllin	97659-67-1	6.0%	307-473-5	
Orange G (C.I. No. 16230)	1936-15-8	4.0%	217-705-6	
Alizarin yellow R, sodium salt	1718-34-9	2.0%	217-002-4	
FD&C Yellow #5 (C.I. No. 19140)	1934-21-0	1.5%	217-699-5	

#### Section 4 **First Aid Measures**

INGESTION: MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: VAPOR HARMFUL. HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

#### Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Fires involving a small amount of combustibles may be smothered by dry chemical. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instanty. Closed containers exposed to heat may explode. Burns with a clear, almost invisible flame. Contact with strong oxidizers may cause fire.

## **Accidental Release Measures**

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage Page E2 of E2

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Pro	otection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Methanol	TWA: 262 mg/m <sup>3</sup> / STEL: 328 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup> / STEL: 325 mg/m <sup>3</sup>

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

### Section 9 Physical & Chemical Properties

**Appearance:** Liquid. Dark green. **Odor:** Pungent odor.

Odor threshold: Data not available

pH: Data not available

Melting / Freezing point: Approximately -9°C (15.8°F)

Boiling point: Approximately 89°C (192°F)

Boiling point: Approximately 89°C (192°F)
Flash point: Approximately 48°C (118°F)

Evaporation rate ( = 1): Data not available Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available Relative density (Specific gravity): Data not available

Solubility(ies): Complete in water.

Partition coefficient: Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

# Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizing agents, strong acids, zinc, aluminum and magnesium, reducers, alkalies. **Hazardous decomposition products:** Oxides of carbon and formaldehyde, oxides of sodium, nitrogen and sulfur.

# Section 11 Toxicological Information

Acute toxicity: Methanol: Oral-rat LD50: 5,628 mg/kg; Inhalation-rat LC50: 64,000 mg/kg/4hours; Skin-rabbit LD50: 15,800 mg/kg

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 1 with narcotic effects.

**STOT-repeated exposure:** Data not available **Aspiration hazard:** Data not available

Potential health effects:

Inhalation: Inhalation of this material may cause irritation of the respiratory tract, nausea, shortness of breath and headache.

Ingestion: Ingestion may cause headache, dizziness, weakness, euphoria, drowsiness, shortness of breath, vomiting and incoordination. Can also cause blindness and death.

Cannot be made nonpoisonous.

Skin: Contact with skin can cause moderate irritation, defatting, cracking and dermatitis. Skin absorption may contribute to overall exposure.

 $\label{thm:contact} \text{Eyes: Contact with eyes can cause severe irritation, even corneal burns. High concentrations of vapors may cause irritation. }$ 

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: Methanol: PC1400000

## Section 12 Ecological Information

Toxicity to fish: Methanol: Lepomis macrochirus (fish, fresh water), LC50 = 15,400 mg/l/96 hours

Toxicity to daphnia and other aquatic invertebrates: Methanol: Daphnia magna, EC50 = >10,000 mg/l/48 hours

Toxicity to algae: No data available

Persistence and degradability: Readily biodegradable Bioaccumulative potential: Not expected to bioaccumulate

Mobility in soil: No data available PBT and vPvB assessment: No data available Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1230 Shipping name: Methanol solution

Hazard class: Domestic: 3 International: 3, (6.1)

Packing group: II

Reportable Quantity: Yes

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L 2012 ERG Guide # 131

### Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Methanol	Listed	5,000 lbs. (2270 kg)	U154	Listed	Not listed

# Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision 06/2015 Revision Date: September 11, 2015 Supercedes: September 11, 2015

### **GENERAL STORAGE CODE GREEN**

## Section 1 Chemical Product and Company Identification



221 Rochester Street Avon, NY 14414 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

Product AUTUMN LEAVES PIGMENT

Synonyms None

Section 2 Hazards Identification

Signal word: WARNING Pictograms: No symbol required

Target organs: Central nervous system, Liver, Kidneys, Heart

**GHS Classification:** 

Flammable liquid (Category 4)
Acute toxicity, oral (Category 5)
Acute toxicity, dermal (Category 5)
Acute toxicity, inhalation (Category 5)

GHS Label information: Hazard statement:

H227: Combustible liquid.

H303: May be harmful if swallowed. H313: May be harmful in contact with skin.

H333: May be harmful if inhaled.

### Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P280: Wear protective gloves/protective clothing/eye protection/face protection. P308+P312: IF exposed or concerned: Call a POISON CENTER or doctor/physician if you feel unwell.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause reproductive toxicity (Methanol, developmental).

Section 3 Composition / Information	n on Ingredients			
Chemical Name	CAS#	%	EINECS	
Deionized water Orange G (C.I. No. 16230) Methanol FD&C Yellow #5 (C.I. No. 19140) Chlorophyllin	7732-18-5 1936-15-8 67-56-1 1934-21-0 97659-67-1	97.55% 1.00% 0.70% 0.50% 0.25%	231-791-2 217-705-6 200-659-6 217-699-5 307-473-5	

# Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

### Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Fires involving a small amount of combustibles may be smothered by dry chemical.

## Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E1 of E2

Section 7 Handling & Storage Page E2 of E2

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Pro	otection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Methanol	TWA: 262 mg/m <sup>3</sup> / STEL: 328 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup> / STEL: 325 mg/m <sup>3</sup>

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

### Section 9 Physical & Chemical Properties

**Appearance:** Liquid. Dark green. **Odor:** Pungent odor.

Odor threshold: Data not available

pH: Data not available.

Melting / Freezing point: Approximately -6°C (21.2°F)

Boiling point: Approximately 94°C (201.2°F)

Boiling point: Approximately 94°C (201.2°F)
Flash point: Approximately 65°C (149°F)

Evaporation rate ( = 1): Data not available Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available Relative density (Specific gravity): Data not available

Solubility(ies): Complete in water.

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

# Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizing agents, strong acids, zinc, aluminum and magnesium, reducers, alkalies. **Hazardous decomposition products:** Oxides of carbon and formaldehyde, oxides of sodium, nitrogen and sulfur.

# Section 11 Toxicological Information

Acute toxicity: Methanol: Oral-rat LD50: 5,628 mg/kg; Inhalation-rat LC50: 64,000 mg/kg/4hours; Skin-rabbit LD50: 15,800 mg/kg

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Ingestion: May be harmful if swallowed. Skin: May be harmful in contact with skin. Eyes: Contact may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is

not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: Methanol: PC1400000

## Section 12 Ecological Information

Toxicity to fish: Methanol: Lepomis macrochirus (fish, fresh water), LC50 = 15,400 mg/l/96 hours

Toxicity to daphnia and other aquatic invertebrates: Methanol: Daphnia magna, EC50 = >10,000 mg/l/48 hours

Toxicity to algae: No data available

Persistence and degradability: Readily biodegradable

Mobility in soil: No data available

Bioaccumulative potential: Not expected to bioaccumulate

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable
Hazard class: Not applicable
Packing group: Not applicable

2012 ERG Guide # Not applicable

Reportable Quantity: No Marine pollutant: No

### Section 15 Regulatory Information

**Exceptions:** Not applicable

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Methanol	Listed	5,000 lbs. (2270 kg)	U154	Listed	Not listed

# Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision 06/2015 Revision Date: September 11, 2015 Supercedes: September 11, 2015

Page E1 of E2

## Section 1 Chemical Product and Company Identification



221 Rochester Street Avon, NY 14414 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only

For laboratory use only.

Not for drug, food or household use.

Product CHROMATOGRAPHY SOLVENT II

Synonyms None

Section 2 Hazards Identification

Signal word: DANGER

Pictograms: GHS02 / GHS06 / GHS08

Target organs: Central nervous system, Liver, Kidneys, Heart







**GHS Classification:** 

Flammable liquid (Category 3) Acute toxicity, oral (Category 3) Acute toxicity, dermal (Category 3) Acute toxicity, inhalation (Category 3) STOT-SE (Category 1)

GHS Label information: Hazard statement:

H226: Flammable liquid and vapour.

H301: Toxic if swallowed. H311: Toxic in contact with skin. H331: Toxic if inhaled.

H370: Causes damage to organs.

### Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233: Keep container tightly closed.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray. P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P330: Rinse mouth.

P302+P352: IF ON SKIN: Wash with plenty of water and soap

P361+P364: Take off immediately all contaminated clothing and wash it before reuse.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P311: Call a POISON CENTER or doctor.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with all local, state and federal regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause reproductive toxicity (Methanol, developmental).

Section 3 Composition / Informat	ion on Ingredients			
Chemical Name	CAS#	%	EINECS	
Water Methanol Non-hazardous proprietary ingredients	7732-18-5 67-56-1 Undisclosed	78.0% 20.0% 2.0%	231-791-2 200-659-6 Undisclosed	

# Section 4 First Aid Measures

**INGESTION:** MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: VAPOR HARMFUL. HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

### Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Fires involving a small amount of combustibles may be smothered by dry chemical. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instanty. Closed containers exposed to heat may explode. Burns with a clear, almost invisible flame. Contact with strong oxidizers may cause fire.

## Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E2 of E2 Section 7 **Handling & Storage** 

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Pro	otection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Methanol	TWA: 262 mg/m <sup>3</sup> / STEL: 328 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup> / STEL: 325 mg/m <sup>3</sup>

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

#### Section 9 **Physical & Chemical Properties**

Appearance: Clear, colorless liquid. Odor: Pungent odor.

Odor threshold: Data not available pH: Data not available

Melting / Freezing point: -98°C (-144°F)\* Boiling point: 82°C (179.6°F)

Flash point: 43°C (109.4°F)

Solubility(ies): Complete in water.

Evaporation rate ( Butyl acetate = 1): 4.6° Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: 7.3% / 36%\* Vapor pressure (mm Hg): 96 mm @ 20°C\*

Vapor density (Air = 1): 1.11\*

Relative density (Specific gravity): 0.79\*

Partition coefficient: (n-octanol / water): Low Pow: -.82\* Auto-ignition temperature: 463°C (867°F)\* Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

\*Méthanol

#### Stability & Reactivity Section 10

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizing agents, strong acids, zinc, aluminum and magnesium, reducers, alkalies.

Hazardous decomposition products: Oxides of carbon and formaldehyde.

#### Section 11 **Toxicological Information**

Acute toxicity: Methanol: Oral-rat LD50: 5,628 mg/kg; Inhalation-rat LC50: 64,000 mg/kg/4hours; Skin-rabbit LD50: 15,800 mg/kg

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 1 with narcotic effects.

STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of this material may cause irritation of the respiratory tract, nausea, shortness of breath and headache.

Ingestion: Ingestion may cause headache, dizziness, weakness, euphoria, drowsiness, shortness of breath, vomiting and incoordination. Can also cause blindness and death.

Cannot be made nonpoisonous.

Skin: Contact with skin can cause moderate irritation, defatting, cracking and dermatitis. Skin absorption may contribute to overall exposure.

Eyes: Contact with eyes can cause severe irritation, eyen corneal burns. High concentrations of vapors may cause irritation.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: Methanol: PC1400000

## **Ecological Information**

Toxicity to fish: Methanol: Lepomis macrochirus (fish, fresh water), LC50 = 15,400 mg/l/96 hours

Toxicity to daphnia and other aquatic invertebrates: Methanol: Daphnia magna, EC50 = >10,000 mg/l/48 hours

Toxicity to algae: No data available

Persistence and degradability: Readily biodegradable Bioaccumulative potential: Not expected to bioaccumulate

Mobility in soil: No data available PBT and vPvB assessment: No data available Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# **Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

#### Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: UN1230 Shipping name: Methanol solution

Hazard class: Domestic: 3 International: 3, (6.1) Packing group: II Reportable Quantity: Yes Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L 2012 ERG Guide # 131

#### Section 15 **Regulatory Information**

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Methanol	Listed	5,000 lbs. (2270 kg)	U154	Listed	Not listed

#### Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision 06/2015 Revision Date: August 13, 2015 Supercedes: August 13, 2015