SAFETY DATA SHEET

SECTION I: II	DENTIF	ICATION							
PRODUCT	ITP P.E.	OAM PROFILES AND EXTRUSIONS		MANUFACTURER NAME & ADDRESS:					
IDENTIFIER:	(WHITE)			INDUSTRIAL THERMO POLYMERS					
CHEMICAL	POLYETI	HYLENE		(Owned and Operated by Armacell Canada Inc.)					
IDENTITY:	DAOKAO	NO OLIGUIONINO O	OLIND DAMPENING	153 VAN KIRK DRIVE BRAMPTON, ONTARIO , L7A	1 / /				
RECOMMENDED USE		NG, CUSHIONING, SO ON,SEALING, FLOATA		PHONE NO.:	1-905-846-3666				
DESTRICTION OF				FAX NO.:	1-905-846-0363				
USE	NONE				1-800-387-3847				
SECTION 2 : H	IAZARI	O(S) IDENTIFIC	CATION						
		· /		ED BY OSHA AS "NON HAZARD	OUS".				
- PE FOAM PRODU	JCTS ARE	MADE FROM POL	YETHYLENE RESIN	, ADDITIVES AND ISOBUTANE	.(MORE DETAILS IN SEC.3.)				
					`				
				NG AGENT.SMALL TRACES OF AZARDOUS CONCENTRATIONS					
				ICT ARE STORED IN UNVENTIL					
	, ,								
ROUTES OF EXPOSURE:	SWALLO	WING SKIN AB	SORBTION	INHALATION SKIN CON					
	<u> </u>			✓	✓				
EFFECTS OF A SIN	IGLE (AC	Ī		_					
SWALLOWING:		CHOKING - MECHA	ANICAL BLOCKAGI	=					
SKIN ABSORBTION	N:	NOT LIKELY.							
INHALATION:		FOAM DUST MAY CAUSE RRITATION TO NOSE ,THROAT OR LUNGS.							
SKIN CONTACT:		NON IRRITATING							
EYE CONTACT:		EYE INJURY OR F	OAM DUST MAY C	AUSE IRRITATION TO EYES					
OTHER EFFECTS		NOT KNOWN							
SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS									
SECTION 3 : COM	MPOSITI	ON / INFORMATIO	ON ON INGREDIE	NTS					
				1	RE LIMITS				
SECTION 3 : COM		ON / INFORMATIO	ON ON INGREDIE	EXPOSU	RE LIMITS I - TLV*				
	тѕ			EXPOSUF ACGIH	_				
INGREDIEN'	TS ENE	CAS NO.	WEIGHT %	EXPOSUF ACGIH N	- TLV*				
INGREDIEN'	TS ENE	CAS NO. 9002-88-4	WEIGHT %	EXPOSUF ACGIH N	- TLV*				
INGREDIEN'	TS ENE	CAS NO. 9002-88-4	WEIGHT %	EXPOSUF ACGIH N	- TLV*				
INGREDIEN POLYETHYLI ISOBUTAN	TS ENE E	CAS NO. 9002-88-4 75-28-5	WEIGHT %	EXPOSUF ACGIH N	- TLV*				
INGREDIEN' POLYETHYLI ISOBUTAN * Applicable provincial	TS ENE E	CAS NO. 9002-88-4 75-28-5	WEIGHT % 75% -100% -	EXPOSUF ACGIH N 800 PP	- TLV*				
INGREDIEN' POLYETHYLI ISOBUTAN * Applicable provincial	TS ENE E	CAS NO. 9002-88-4 75-28-5	WEIGHT % 75% -100% -	EXPOSUF ACGIH N 800 PP	- TLV*				
INGREDIEN POLYETHYLI ISOBUTAN * Applicable provincial * Specific chemical nar	ENE E TLV's may	CAS NO. 9002-88-4 75-28-5 differ rcentage in the mix has	WEIGHT % 75% -100% -	EXPOSUF ACGIH N 800 PP	- TLV*				
INGREDIEN POLYETHYLI ISOBUTAN * Applicable provincial * Specific chemical nar SECTION 4 : FIRS	ENE E TLV's may	CAS NO. 9002-88-4 75-28-5 differ rcentage in the mix has	WEIGHT % 75% -100% -	EXPOSUF ACGIH N 800 PP	- TLV*				
INGREDIEN POLYETHYLI ISOBUTAN * Applicable provincial * Specific chemical nar SECTION 4 : FIRS SWALLOWING:	ENE E TLV's may mes and pe	CAS NO. 9002-88-4 75-28-5 differ rcentage in the mix has	WEIGHT % 75% -100% - s been withheld to prot	EXPOSUF ACGIH N 800 PP	- TLV*				
* Applicable provincial * Specific chemical nar SECTION 4: FIRS SWALLOWING: CONSULT PHYSICI	ENE E TLV's may mes and pe	CAS NO. 9002-88-4 75-28-5 differ rcentage in the mix has	WEIGHT % 75% -100% - s been withheld to prot	EXPOSUF ACGIH N 800 PP ect trade secret.	- TLV*				
* Applicable provincial * Specific chemical nar SECTION 4: FIRS SWALLOWING: CONSULT PHYSICI INHALATION:	TLV's may mes and pe	CAS NO. 9002-88-4 75-28-5 differ recentage in the mix has	WEIGHT % 75% -100% - Septem withheld to protect with the control of the control o	EXPOSUR ACGIH N 800 PP ect trade secret. DNTACT: WITH SOAP AND WATER NTACT:	A TWA				
* Applicable provincial * Specific chemical nar SECTION 4: FIRS SWALLOWING: CONSULT PHYSICI INHALATION: MOVE TO FRESH	TS ENE E TLV's may mes and pe ST AID N AN	CAS NO. 9002-88-4 75-28-5 differ reentage in the mix has	WEIGHT % 75% -100% - Septem withheld to protect wash with the control of the cont	EXPOSUR ACGIH N 800 PP ect trade secret. DNTACT: WITH SOAP AND WATER NTACT: EYES WITH CLEAN LUKEWARI	A TWA				
* Applicable provincial * Specific chemical nar SECTION 4: FIRS SWALLOWING: CONSULT PHYSICI INHALATION:	TS ENE E TLV's may mes and pe ST AID N AN	CAS NO. 9002-88-4 75-28-5 differ reentage in the mix has	WEIGHT % 75% -100% - Septem withheld to protect with the control of the control o	EXPOSUR ACGIH N 800 PP ect trade secret. DNTACT: WITH SOAP AND WATER NTACT: EYES WITH CLEAN LUKEWARI	A TWA				
* Applicable provincial * Specific chemical nar * SECTION 4 : FIRS SWALLOWING: CONSULT PHYSICI INHALATION: MOVE TO FRESH A BREATHING PROB	TS ENE E TLV's may mes and pe ST AID M AN AIR. SEEH LEMS PE	CAS NO. 9002-88-4 75-28-5 differ recentage in the mix has IEASURES (MEDICAL ATTENT RSISTS.	WEIGHT % 75% -100% - Septem withheld to protect with the	EXPOSUR ACGIH N 800 PP ect trade secret. DNTACT: WITH SOAP AND WATER NTACT: EYES WITH CLEAN LUKEWARI	A TWA				
* Applicable provincial * Specific chemical nar SECTION 4 : FIRS SWALLOWING: CONSULT PHYSICI INHALATION: MOVE TO FRESH A BREATHING PROB	TLV's may mes and pe	CAS NO. 9002-88-4 75-28-5 differ recentage in the mix has IEASURES C MEDICAL ATTENT RSISTS.	WEIGHT % 75% -100% - Section withheld to protect wash with the protect wash withheld to protect wash with the protect wash wi	EXPOSUF ACGIH N 800 PP ect trade secret. DNTACT: WITH SOAP AND WATER INTACT: EYES WITH CLEAN LUKEWARI IAN.	M TWA M WATER. CONSULT				
* Applicable provincial * Specific chemical nar SECTION 4 : FIRS SWALLOWING: CONSULT PHYSICI INHALATION: MOVE TO FRESH A BREATHING PROB	TLV's may mes and pe	CAS NO. 9002-88-4 75-28-5 differ recentage in the mix has IEASURES C MEDICAL ATTENT RSISTS.	WEIGHT % 75% -100% - Section withheld to protect wash with the protect wash withheld to protect wash with the protect wash wi	EXPOSUR ACGIH N 800 PP ect trade secret. DNTACT: WITH SOAP AND WATER NTACT: EYES WITH CLEAN LUKEWARI	M TWA M WATER. CONSULT				
* Applicable provincial * Specific chemical nar * SECTION 4 : FIR: SWALLOWING: CONSULT PHYSICI INHALATION: MOVE TO FRESH A BREATHING PROB SECTION 5 : F 1. PE FOAM IS COM	TS ENE E TLV's may mes and pe ST AID N AN AIR. SEER LEMS PE	CAS NO. 9002-88-4 75-28-5 differ recentage in the mix has IEASURES C MEDICAL ATTENT RSISTS. GHTING MEASI LE AND SHOULD NO	WEIGHT % 75% -100% - Septem withheld to protect with the	EXPOSUF ACGIH N 800 PP ect trade secret. DNTACT: WITH SOAP AND WATER INTACT: EYES WITH CLEAN LUKEWARI IAN.	M TWA M WATER. CONSULT RESULTS IN CLASS A FIRE.				
* Applicable provincial * Specific chemical nar * SECTION 4 : FIRS SWALLOWING: CONSULT PHYSICI INHALATION: MOVE TO FRESH A BREATHING PROB SECTION 5 : F 1. PE FOAM IS COM 2. FIRE TO BE EXTIN	TS ENE E TLV's may mes and pe ST AID N AN AIR. SEEH LEMS PE IRE FIG MBUSTIBL IGUISHED	CAS NO. 9002-88-4 75-28-5 differ reentage in the mix has IEASURES (MEDICAL ATTENT RSISTS. GHTING MEAS LE AND SHOULD NO. BY USING WATER FO	WEIGHT % 75% -100% - Septem withheld to protect wash with with with with with with with wit	EXPOSUR ACGIH N 800 PP ect trade secret. DNTACT: WITH SOAP AND WATER INTACT: EYES WITH CLEAN LUKEWARI IAN. O SPARKS OR OPEN FLAME. F	A M TWA M WATER. CONSULT RESULTS IN CLASS A FIRE. TER TO COOL AND SMOTHER.				
* Applicable provincial * Specific chemical nar * SECTION 4 : FIRS SWALLOWING: CONSULT PHYSICI INHALATION: MOVE TO FRESH A BREATHING PROB SECTION 5 : F 1. PE FOAM IS CON 2. FIRE TO BE EXTIN 3. FIRE WILL CAUS	TS ENE E TLV's may mes and pe ST AID N AIR. SEER LEMS PE GUISHED GUISHED GE DENSE	CAS NO. 9002-88-4 75-28-5 differ reentage in the mix has IEASURES C MEDICAL ATTENT RSISTS. GHTING MEAS LE AND SHOULD NO. BY USING WATER FOR SMOKE, USE SELF	WEIGHT % 75% -100% - Septem withheld to protect wash with wash with withheld to protect wash withheld to protect wash with with withheld to protect wash with with with with with with with wit	EXPOSUR ACGIH N 800 PP ect trade secret. DNTACT: WITH SOAP AND WATER NTACT: EYES WITH CLEAN LUKEWARI IAN. O SPARKS OR OPEN FLAME. F SOAK THE PRODUCT WITH WAT	M TWA M TWA M WATER. CONSULT RESULTS IN CLASS A FIRE. FER TO COOL AND SMOTHER. PROTECTIVE CLOTHING.				

6. CHEMICAL/GASEOUS HAZARDS LIKE CO, CO2 AND CARBON MAY BE PRODUCED FROM THE SMOLDERING SUBSTANCES AND FIRE.

SAFETY DATA SHEET

SECTION 6: ACCIDENTAL RELEASE MEASURES

PE FOAM IS COMBUSTIBLE. SHOULD NOT BE EXPOSED TO SPARKS OR OPEN FLAME. RESULTS IN CLASS 'A' FIRE.

SECTION 7: HANDLING AND STORAGE

- PE FOAM IS COMBUSTIBLE AND SHOULD NOT BE EXPOSED TO SPARKS OR OPEN FLAME. WHEN BURNS, WILL RELEASE TOXIC GASES LIKE CO .
- -WHEN FABRICATING OR CUTTING , THIS PRODUCT MAY RELEASE TRAPPED ISOBUTANE FROM THE FOAM CELLS. ADEQUATE VENTILATION IS A MUST.
- PE FOAM SHOULD BE STORED IN COOL,DRY AND WELL VENTILATED LOCATIONS. ISOBUTANE GAS MAY ACCUMULATE AROUND THE PRODUCT.
- PE FOAM IS INCOMPATIBLE WITH STRONG OXIDIZING AGENTS LIKE, CL2 ,H2O2 , KNO3 ,H2SO4.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

- NOT NECESSARY OTHER THAN STATED IN SECTION 2

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	SOLID	FREEZING POINT:	N/A	SPECIFIC GRAVITY VAPOUR	N/A
BOILING POINT 760 mm Hg:	N/A	VAP. PRESS at 20°C:	N/A	MOLECULAR WEIGHT:	N/A
SPECIFIC GRAVITY	0.01 - 0.15	SOLUBILITY IN WATER	INSOLUBLE	COEFFICIENT OF WATER /	N/A
MELTING POINT:	+ 212°F	EVAPORATION RATE	N/A	OIL DISTRIBUTION:	IN/A
DENSITY	0-30 lbs/cuft	% VOLATILES BY VOLUME:	N/A	VAPOUR DENSITY	N/A
APPEARANCE	CLOSED CELL FOAM	ODOR:	NEGLIGIBLE	ODOR THRESHOLD:	N/A

SECTION 10: STABILITY AND REACTIVITY

- PE FOAM IS STABLE AND NON-REACTIVE. OTHER THAN CONDITIONS STATED IN SECTION 5,6 & 7

SECTION 11: TOXICOLOGICAL INFORMATION

- PE FOAM HAS NO CARCINGENIC SUBSTANCES. IT IS NOT LISTED IN: IARC & NTP

ROUTES OF EXPOSURE: SWALLOWING FOAM DUST INHALATION SKIN CONTACT EYE CONTACT
EFFECTS OF ABOVE EXPOSURE STATED IN SECTION 4

SECTION 12: ECOLOGICAL INFORMATION

- PE FOAM DOES NOT EXHIBIT ANY SIGNIFICANT BIODEGRADATION.

SECTION 13: DISPOSAL CONSIDERATIONS

- PE FOAM CAN BE REPROCESSED OR CAN BE DISPOSED OFF IN LANDFILL

SECTION 14: TRANSPORT INFORMATION

- PE FOAM HAS SOME RESIDUAL ISOBUTANE AND HENCE TO BE TRANSPORTED IN VENTILATED TRAILERS.

SECTION 15: REGULATORY INFORMATION

- PE FOAM HAS NO CARCINGENIC SUBSTANCES AND IS CLASSIFIED AS NON HAZARDOUS UNDER THE FEDERAL OSHA STANDARDS.

SECTION 16: OTHER INFORMATION

PREPARED BY / DEPARTMENT	PHONE NUMBER	DATE UPDATED
HARENDRA RATHOD / QA DEPARTMENT	905-846-3666 / 1-800-387-3847	April 16, 2015

FOR INFORMATION: Visit Web: www.tundrafoam.com or Email: info@tundrafoam.com