SAFETY DATA SHEET

Section 1 **Chemical Product and Company Information** CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. 80 Northwest Blvd. Nashua NH 03063 Not for drug, food or household use. (800) 225-3739 ETHYL ALCOHOL, 70% DENATURED SOLUTION Product Synonyms Ethanol, 70% Aqueous Solution / Holding Solution / 70% Ethanol Section 2 **Hazards Identification** Signal word: DANGER Precautionary statement: Pictograms: GHS02 / GHS07 P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Target organs: Eyes, Central nervous system, Liver, Kidneys. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P260: Do not breathe mist/vapours/spray. P264: Wash hands thoroughly after handling. **GHS Classification:** P271: Use only outdoors or in a well-ventilated area. Flam. liq. (Category 2) P280: Wear protective gloves/protective clothing/eye protection/face protection. Skin irrit. (Category 2) P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Eye irrit. (Category 2B) Remove contact lenses, if present and easy to do. Continue rinsing. STOT-SE (Category 3) P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. GHS Label information: Hazard statement: P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for H225: Highly flammable liquid and vapour. breathing H315: Causes skin irritation. P312: Call a POISON CENTER or doctor if you feel unwell. H319: Causes serious eve irritation. P332+P313: If skin irritation occurs: Get medical attention. H336: May cause drowsiness or dizziness. P337+P313: If eye irritation persists: Get medical attention. P362+P364: Take off contaminated clothing and wash it before reuse. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause reproductive toxicity (Methanol, developmental).

Section 3 Composition / Information on Ingredients				
CAS #	%	EINECS		
64-17-5	59.5 - 60.06%	200-578-6		
7732-18-5	30.0%	231-791-2		
67-63-0	6.3%	200-661-7		
67-56-1	2.8 - 2.9%	200-659-6		
108-10-1	0.63 - 0.7%	203-550-1		
	64-17-5 7732-18-5 67-63-0 67-56-1	64-17-5 59.5 - 60.06% 7732-18-5 30.0% 67-63-0 6.3% 67-56-1 2.8 - 2.9%	64-17-5 59.5 - 60.06% 200-578-6 7732-18-5 30.0% 231-791-2 67-63-0 6.3% 200-661-7 67-56-1 2.8 - 2.9% 200-659-6	

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL. IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Protection					
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)		
	Ethanol	STEL: 1000 ppm / 1880 mg/m ³ (A3)	TWA: 1000 ppm / 1900 mg/m ³	TWA: 1000 ppm / 1900 mg/m ³		

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical & Chemical Properties							
Appearance: Clear, colorless liquid. Odor: Mild characteristic odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: -114°C (-173°F)* Boiling point: 74-80°C (165.2-176°F)*	Evaporation rate (Butyl acetate = 1): Ca 2* Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: 3.3% / 19.0% Vapor pressure (mm Hg): Ca 50 @ 20°C* Vapor density (Air = 1): Ca 1.5* Relative density (Specific gravity): 0.7919-0.7955°C @ 60/60°F*	Partition coefficient: (n-octanol / water): Low Pow:32* Auto-ignition temperature: 383°C (721°F)* Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture					
Flash point: 21°C (70°F) TCC	Solubility(ies): Soluble in water.	*200 Proof Ethanol					
Section 10 Stability & Reactivity							

ection 10

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizers, inorganic acids and halogens.

Hazardous decomposition products: Oxides of carbon.

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

Skin corrosion/irritation: Skin-rabbit - Slight irritant.

Serious eye damage/irritation: Eyes-rabbit - Severe irritant.

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available Potential health effects:

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

l isted

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eves: Contact with eves may cause blindness.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: KQ6300000 [Ethanol]

Section 12

Ecological Information Toxicity to fish: Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol] Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure] Toxicity to algae: Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute] Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. **Disposal Considerations** Section 13 These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency. Section 14 Transport Information UN/NA number: UN1170 Shipping name: Ethanol Hazard class: 3 Packing group: II Reportable Quantity: No Exceptions: Limited quantity equal to or less than 1 Lt. Marine pollutant: No Section 15 **Regulatory Information** A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list. RCRA code DSL NDSL WHMIS Classification Component TSCA CERLCA (RQ) Ethanol Listed Not listed D001 Listed Not listed B2: D2B Methanol Listed 5.000 lbs. U154 Listed Not listed B2: D1B: D2A: D2B

Section 16 **Additional Information**

Isopropanol

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.

Not listed

Not listed

I isted

Not listed

B2: D2B