

MATERIAL SAFETY DATA SHEET

Revd Jan 2002

ISSUE DATE: 10/01/98

Rupert, Gibbon & Spider
P.O. BOX 425
HEALDSBURG, CA. 95448

I - PRODUCT IDENTIFICATION

PRODUCT NAME **YELLOW MX-8G**
PRODUCT CODE NUMBER
CHEMICAL FAMILY **AZO**
COLOR INDEX NAME
T.S.C.A. STATUS **IN COMPLIANCE**

II - HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS: **NON HAZARDOUS**

CURRENT TLV'S: **NOT ESTABLISHED**

III - PHYSICAL DATA

APPEARANCE **POWDER**
COLOR **YELLOW**
ODOR **NONE**
SOLUBILITY IN WATER **SOLUABLE**
pH **NO DATA**

IV - FIRE AND EXPLOSION DATA

FLASH POINT **Not Applicable**
EXTINGUISHING MEDIA **Water, Dry Chemical, CO2, Foam**
SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL

FIRE OR EXPLOSION HAZARDS: **Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering**

V - HEALTH EFFECTS DATA

ANIMAL TOXICITY ORAL - LD50 (INGESTION)	MAY CAUSE IRRITATION
FISH, LC50	NO DATA
EYE EFFECTS	MAY CAUSE IRRITATION
SKIN EFFECTS	MAY CAUSE IRRITATION
HUMAN EFFECTS OF OVEREXPOSURE	MAY CAUSE RESPIRATORY IRRITATION TO SOME PEOPLE

VI - EMERGENCY AND FIRST AID PROCEDURES

- EYE CONTACT**Wash immediately with large amounts of water, occasionally lifting the upper and lower lids until no evidence of product remain. Get medical attention. Do not wear contact lenses while handling.
- SKIN CONTACT**Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.
- INGESTION**If swallowed, do not induce vomiting. Qualified medical personnel should remove the product by gastric lavage and catharsis. Get medical attention.
- INHALATION**If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

VII - EMPLOYEE PROTECTION RECOMMENDATIONS

- EYE PROTECTION**Employees should wear protective eye-goggles.
- SKIN PROTECTION** This material may be absorbed via the dermal route if prolonged or widespread skin contact occurs. Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, rubber gloves, and boots are recommended. Additional protection such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work.
- RESPIRATORY PROTECTION**NIOSH approved dust respirator.
- VENTILATION**Use local ventilation if dusting is a problem.
- OTHER** Emergency showers and eye wash stations should be available.

VIII - REACTIVITY DATA

STABILITYSTABLE
POLYMERIZATIONDOES NOT OCCUR
INCOMPATIBILITY (MATERIALS TO AVOID)NONE
HAZARDOUS DECOMPOSITION PRODUCTSBURNING MAY PRODUCE OXIDES OF CARBON
& NITROGEN

IX - SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED/SPILLED: Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent materials and place into containers for later disposal. Scrub spilled area with detergent, flush with copious amount of water.

WASTE DISPOSAL METHOD: Waste disposal should be in accordance with existing federal, state and local environmental regulations.

X - SPECIAL PRECAUTIONS AND STORAGE DATA

HANDLING AND STORING PRECAUTIONS: Store in dry place, away from excessive heat, in original or similar waterproof container. Reseal container immediately after use. Avoid unnecessary contact.

XI - SHIPPING DATA

PROPER SHIPPING NAMENON-HAZARDOUS
D.O.T. HAZARD CLASSIFICATIONNon-Regulated
FRT. CLASS PACKAGEDYE MATERIALS

XII - APPROVALS

DATE PRINTED10/31/98
DATE APPROVED.....08/01/98

MATERIAL SAFETY DATA SHEET

Fuchsia

1011

ZENECA Inc.

Wilmington, Delaware 19897
Phone (24 hr.) Technical: (302) 886-3000
Medical: (800) 327-8633

Issue Date: 05/27/94

Rev.: E
CIDS: 54408

SECTION 1 NAME & HAZARD SUMMARY

Material name:

PROCION® Red MX-8B

Hazard summary (as defined by OSHA Hazard Communication Standard,
29 CFR 1910.1200):

Physical hazards: None

Health hazards: Skin irritant, eye irritant, pulmonary (lung) sensitizer

Read the entire MSDS for a more thorough evaluation of the hazards.

SECTION 2 INGREDIENTS

OSHA PEL

Azo dichlorotriazine reactive dye

| Not listed

Other nonhazardous ingredients

| Not listed

Ingredients not precisely identified are proprietary or nonhazardous. Values are not product specifications.

SECTION 3 PHYSICAL DATA

Boiling point: Not applicable

Vapor pressure (mmHg at 20°C): No data

Vapor density (air = 1): No data

Solubility in water: 50 g/l

pH: No data

Specific gravity: About 1

% Volatile by volume: Negligible

Appearance and odor: Red odorless powder

SECTION 4 FIRE AND EXPLOSION HAZARD DATA

Flash point (and method): Not applicable

Autoignition temp.: No data

Flammable limits (STP): Not applicable

Extinguishing media:

Water fog, foam, carbon dioxide, dry chemical, halogenated agents.

Special fire fighting protective equipment:

Self-contained breathing apparatus with full facepiece and protective clothing.

Unusual fire and explosion hazards:

This product may form explosive dust clouds in air.

MATERIAL SAFETY DATA SHEET (continued)

PROCION Red MX-8B

SECTION 5 REACTIVITY DATA

Stability:

Stable under normal conditions.

Incompatibility (materials to avoid):

Oxidizing agents.

Hazardous decomposition products:

Combustion products: Carbon dioxide, carbon monoxide, nitrogen oxides, ammonia, sulfur oxides, halogen, halogen acids, possible trace amounts of carbonyl halide.

Hazardous polymerization:

Will not occur.

SECTION 6 HEALTH HAZARD ASSESSMENT

General:

Limited toxicity data are available on this specific product; this health hazard assessment is based on the results of screening tests.

Ingestion:

The acute oral LD₅₀ in rat is above 5 g/kg. Relative to other materials, a single dose of this product is practically nontoxic by ingestion.

Eye contact:

This material is slightly irritating in rabbit eye studies; a similar degree of irritation will probably occur after human eye contact.

Skin contact:

This material is slightly irritating in rabbit dermal irritation studies. Irritation may develop following repeated and/or prolonged contact with human skin.

Skin absorption:

This product is not likely to be absorbed through human skin.

Inhalation:

Although the potential for respiratory sensitization is expected to be low from exposures to dusts generated from this dyestuff, some individuals have developed respiratory allergic reactions after repeated and/or prolonged exposures to high atmospheric concentrations of dust from some reactive dyes, of which Procion dyes are one type. Cough, tightness in chest, and/or asthmatic wheezing may be signs of respiratory allergy.

Other effects of overexposure:

No other adverse clinical effects are known to be associated with exposures to this material.

First aid procedures:

Skin: Wash material off the skin with plenty of soap and water. If redness, itching or a burning sensation develops, get medical attention.

---continued---

MATERIAL SAFETY DATA SHEET (continued)

PROCION Red MX-8B

SECTION 6 HEALTH HAZARD ASSESSMENT (continued)

First aid procedures (continued):

Eyes: Immediately flush with plenty of water for at least 15 minutes. If redness, itching or a burning sensation develops, have eyes examined and treated by medical personnel.

Ingestion: Give one or two glasses of water to drink. If gastrointestinal symptoms develop, consult medical personnel. (Never give anything by mouth to an unconscious person.)

Inhalation: Remove victim to fresh air. If cough or other respiratory symptoms develop, consult medical personnel.

SECTION 7 SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled:

Wear skin, eye and respiratory protection during cleanup. Sweep up and recover or mix material with moist absorbent and shovel into waste container. Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility. Use care to minimize the amount of dyestuff that reaches the sewer.

Disposal method:

Discarded product is not a hazardous waste under RCRA, 40 CFR 261.

Container disposal:

Empty container retains product residue. Observe all hazard precautions. Do not distribute, make available, furnish or reuse empty container except for storage and shipment of original product. Remove all product residue and puncture or otherwise destroy empty container before disposal.

SECTION 8 SPECIAL PROTECTION INFORMATION

TLV® or suggested control value:

No ACGIH TLV or OSHA PEL assigned. Minimize exposure in accordance with good hygiene practice.

Ventilation:

Use local exhaust to keep exposures to a minimum.

Respiratory protection (specify type):

If needed, use MSHA-NIOSH approved respirator for dusts, mists and fumes whose TLV is greater than 0.05 mg/m³.

Protective clothing:

Gloves, apron and arm covers to avoid skin contact (see Section 9).

Eye protection:

Chemical tight goggles.

Other protective equipment:

Eyewash station and safety shower in work area.

SECTION 9 SPECIAL PRECAUTIONS OR OTHER COMMENTS

Precautions to be taken in handling or storing:

Follow procedures specified in the National Fire Protection Association Codes and Standards for handling explosive dusts. Maintain good housekeeping to avoid dust buildup. Avoid skin contact; stains may be difficult to remove without injuring the skin. Prevent eye contact. Minimize inhalation exposure to dusts. A sensitized individual should not be exposed to the product which caused the sensitization.

*****SECTION 10 REGULATORY INFORMATION**

TSCA (Toxic Substances Control Act) Regulations, 40 CFR 710:

All ingredients are on the TSCA Chemical Substance Inventory.

CERCLA and SARA Regulations (40 CFR 355, 370, and 372):

This product does not contain any chemicals subject to the reporting requirements of SARA Section 313.

The information herein is given in good faith
but no warranty, expressed or implied, is made.

Prepared/Reviewed: 11/3/86

***This line or section contains revisions or new statements since
the last issue date.

MATERIAL SAFETY DATA SHEET

Rupert, Gibbon & Spider
P.O. BOX 425
HEALDSBURG, CA. 95448

ISSUE DATE: 07/01/98

I - PRODUCT IDENTIFICATION

PRODUCT NAME TURQUOISE MX-G
PRODUCT CODE NUMBER .
CHEMICAL FAMILY AZO DYESTUFFS
COLOR INDEX NAME
T.S.C.A. STATUS IN COMPLIANCE

II - HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS: NONE AS PER SARA TITLE III, SEC. #313: NOT LISTED

CURRENT TLV'S: NOT ESTABLISHED

III - PHYSICAL DATA

APPEARANCE POWDER
COLOR BLUE
ODOR ODORLESS
SOLUBILITY IN WATER SOLUBLE
pH NO DATA

IV - FIRE AND EXPLOSION DATA

FLASH POINT Not Applicable
EXTINGUISHING MEDIA Water, Dry Chemical, CO2, Foam
SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL

FIRE OR EXPLOSION HAZARDS: Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering

V - HEALTH EFFECTS DATA

ANIMAL TOXICITY ORAL - LD50 (INGESTION)NO DATA
FISH, LC50.....NO DATA
EYE EFFECTS.....MODERATELY IRRITATING TO RABBITS
SKIN EFFECTSNON-IRRITATING TO RABBITS
HUMAN EFFECTS OF OVEREXPOSUREMAY CAUSE RESPIRATORY IRRITATION

VI - EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT Wash immediately with large amounts of water, occasionally lifting the upper and lower lids until no evidence of product remain. Get medical attention. Do not wear contact lenses while handling.

SKIN CONTACT Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.

INGESTIONIf swallowed, do not induce vomiting. Qualified medical personnel should remove the product by gastric lavage and catharsis. Get medical attention.

INHALATIONIf inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

VII - EMPLOYEE PROTECTION RECOMMENDATIONS

EYE PROTECTION Employees should wear protective eye-goggles.

SKIN PROTECTION This material may be absorbed via the dermal route if prolonged or widespread skin contact occurs. Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, rubber gloves, and boots are recommended. Additional protection such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work.

RESPIRATORY PROTECTIONNIOSH approved dust respirator.

VENTILATION Use local ventilation if dusting is a problem.

OTHER Emergency showers and eye wash stations should be available.

VIII - REACTIVITY DATA

STABILITYSTABLE
POLYMERIZATIONDOES NOT OCCUR
INCOMPATIBILITY (MATERIALS TO AVOID)OXDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTSBURNING WILL PRODUCE OXIDES OF CARBON
MONOXIDE, NITROGEN OXIDES, AMMONIA,
SULFUR OXIDES, HALOGEN, HALOGEN ACIDS,
POSSIBLE TRACE AMOUNTS OF CARBONYL
HALLDE.

IX - SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED/SPILLED: Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent materials and place into containers for later disposal. Scrub spilled area with detergent, flush with coplous amount of water.

WASTE DISPOSAL METHOD: Waste disposal should be in accordance with existing federal, state and local environmental regulations.

X - SPECIAL PRECAUTIONS AND STORAGE DATA

HANDLING AND STORING PRECAUTIONS: Store in dry place, away from excessive heat, in original or similar waterproof container. Reseal container immediately after use. Avoid unnecessary contact.

XI - SHIPPING DATA

PROPER SHIPPING NAMENON-HAZARDOUS
D.O.T. HAZARD CLASSIFICATIONNon-Regulated
FRT. CLASS PACKAGEINK MATERIAL

XII - APPROVALS

DATE PRINTED07/23/98
DATE APPROVED.....03/01/98

MARCH 14, 1997

RUPERT GIBBON & SPIDER, INC.
 P.O. Box 425
 Healdsburg, California 95448

SODA ASH

ORDER NO: 219535814
 PROD NO: 04621203

VAN WATERS & ROGERS INC. 1600 HORTON BLDG. SEATTLE, WA 98104-1564

-----EMERGENCY ASSISTANCE-----

FOR EMERGENCY ASSISTANCE INVOLVING CHEMICALS CALL CHEMTREC
 (800) 424-9300.

-----FOR PRODUCT AND SALES INFORMATION-----

CONTACT YOUR LOCAL VAN WATERS & ROGERS BRANCH OFFICE

-----PRODUCT IDENTIFICATION-----

PRODUCT NAME: SODA ASH CAS NO.: 497-19-8
 COMMON NAMES/SYNONYMS: SODIUM CARBONATE, ANHYDROUS VW&R CODE: T1120
 FORMULA: NA2 CO3 DATE ISSUED: 11/94
 HAZARD RATING (MANUFACTURER) SUPERCEDES: NONE
 HEALTH: 2 HAZARD RATING SCALE:
 FIRE: 0 0=MINIMAL 3=SERIOUS
 REACTIVITY: 0 1=SLIGHT 4=SEVERE
 SPECIAL: NONE 2=MODERATE

-----HAZARDOUS INGREDIENTS-----

COMPONENT	CAS NO.	%	EXPOSURE LIMITS, PPM			HAZARD
			OSHA PEL	ACGIH TLV	OTHER LIMIT	
SODIUM CARBONATE	(497-17-8)	100	NONE	NONE	NONE	IRRITANT

-----PHYSICAL PROPERTIES-----

BOILING POINT, DEG F: N/A VAPOR PRESSURE, MM HG/20 DEG C: N/A
 MELTING POINT, DEG F: 1564 VAPOR DENSITY (AIR=1): N/A
 SPECIFIC GRAVITY (WATER=1): 2.533 WATER SOLUBILITY, %: 30
 APPEARANCE AND ODOR: EVAPORATION RATE (BUTYL ACETATE=1): N/A
 ODORLESS, WHITE POWDER OR GRANULAR SOLID OR CRYSTAL.

-----FIRST AID MEASURES-----

IF INHALED: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. GET IMMEDIATE MEDICAL ATTENTION.

IN CASE OF EYE CONTACT: IMMEDIATELY FLUSH EYES WITH LOTS OF RUNNING WATER FOR 15 MINUTES, LIFTING THE UPPER AND LOWER EYELIDS OCCASIONALLY. GET IMMEDIATE MEDICAL ATTENTION

IN CASE OF SKIN CONTACT: IMMEDIATELY WASH SKIN WITH LOTS OF SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND SHOES; WASH BEFORE REUSE. GET MEDICAL ATTENTION IF IRRITATION PERSISTS AFTER WASHING.

IF SWALLOWED: DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE LOTS OF WATER OR MILK. GET IMMEDIATE MEDICAL ATTENTION. DO NOT GIVE ANYTHING BY

PROD: 04621203 11:30:38 27 NOV 1998 CUST 21221720 INVOICE: 21953581

MOUTH TO AN UNCONSCIOUS OR CONVULSING PERSON.

-----HEALTH HAZARD INFORMATION-----

PRIMARY ROUTES OF EXPOSURE: INHALATION, SKIN OR EYE CONTACT.

SIGNS AND SYMPTOMS OF EXPOSURE

INHALATION: BREATHING DUST MAY IRRITATE THE NOSE AND THROAT AND CAUSE COUGHING AND CHEST DISCOMFORT EXCESSIVE CONTACT CAN CAUSE DAMAGE TO THE NASAL SEPTUM.

EYE CONTACT: DUSTS WILL IRRITATE THE EYES AND PROLONGED CONTACT MAY DAMAGE THE EYES.

SKIN CONTACT: PROLONGED OR REPEATED CONTACT WITH THE DUST MAY IRRITATE THE SKIN WITH BLISTERING AND REDNESS. SOLUTIONS MAY CAUSE SEVERE IRRITATION OR BURNS.

SWALLOWED: SWALLOWING LARGE QUANTITIES MAY CAUSE NAUSEA, VOMITING, ABDOMINAL PAIN, DIARRHEA AND COLAPSE.

CHRONIC EFFECTS OF EXPOSURE: MAY CAUSE SENSITIZATION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NONE REPORTED.

-----TOXICITY DATA

ORAL: RATS LD50 = 4 G/KG

DERMAL: RABBITS 500 MG/24 HR, MODERATE IRRITATION

INHALATION: NO DATA FOUND.

CARCINOGENICITY: THIS MATERIAL IS NOT CONSIDERED TO BE A CARCINOGEN BY THE NATIONAL TOXICOLOGY PROGRAM, THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER, OR THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

OTHER DATA: NONE

-----PERSONAL PROTECTION-----

VENTILATION: LOCAL MECHANICAL EXHAUST VENTILATION CAPABLE OF MAINTAINING DUST EMISSIONS AT THE POINT OF USE BELOW THE PEL.

RESPIRATORY PROTECTION: IF USE CONDITIONS GENERATE DUSTS, WEAR A NIOSH-APPROVED RESPIRATOR APPROPRIATE FOR THOSE EMISSION LEVELS. APPROPRIATE RESPIRATORS MAY BE A FULL FACEPIECE OR A HALF MASK AIR-PURIFYING CART-RIDGE RESPIRATOR WITH PARTICULATE FILTERS, A SELF-CONTAINED BREATHING APPARATUS IN THE PRESSURE DEMAND MODE, OR A SUPPLIED-AIR RESPIRATOR.

EYE PROTECTION: CHEMICAL GOGGLES AND FULL FACE SHIELD. IT IS GENERALLY RECOGNIZED THAT CONTACT LENSES SHOULD NOT BE WORN WHEN WORKING WITH CHEMICALS BECAUSE CONTACT LENSES MAY CONTRIBUTE TO THE SEVERITY OF AN EYE INJURY.

PROTECTIVE CLOTHING: LONG-SLEEVED SHIRT, TROUSERS, SAFETY SHOES, RUBBER GLOVES, AND RUBBER APRON.

OTHER PROTECTIVE MEASURES: AN EYEWASH AND SAFETY SHOWER SHOULD BE NEARBY AND READY FOR USE.

-----FIRE AND EXPLOSION INFORMATION-----

FLASH POINT, DEG F: N/A

FLAMMABLE LIMITS IN AIR, %

METHOD USED: N/A

LOWER: N/A UPPER: N/A

EXTINGUISHING MEDIA: USE WATER SPRAY, DRY CHEMICAL, CO2, OR ALCOHOL FOAM.

SPECIAL FIRE FIGHTING PROCEDURES: FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL NEARBY CONTAINERS AND STRUCTURES EXPOSED TO FIRE.

UNUSUAL FIRE AND EXPLOSION HAZARDS: EXTINGUISH ALL NEARBY SOURCES OF IGNITION.

-----HAZARDOUS REACTIVITY-----

STABILITY: STABLE. POLYMERIZATION: WILL NOT OCCUR
 CONDITIONS TO AVOID: OPEN FLAMES, WELDING ARCS, OR OTHER HIGH TEM-
 PERATURE SOURCES WHICH MAY INDUCE THERMAL DECOMPOSITION.

MATERIALS TO AVOID: ACIDS.

HAZARDOUS DECOMPOSITION PRODUCTS: MAY LIBERATE CARBON MONOXIDE,
 CARBON DIOXIDE OR OXIDES OF SODIUM.

-----SPILL, LEAK, AND DISPOSAL PROCEDURES-----

ACTION TO TAKE FOR SPILLS OR LEAKS: WEAR PROTECTIVE EQUIPMENT INCLUDING RUBBER BOOTS, RUBBER GLOVES, RUBBER APRON, AND A SELF-CONTAINED BREATHING APPARATUS IN THE PRESSURE DEMAND MODE OR A SUPPLIED-AIR RESPIRATOR. IF THE SPILL OR LEAK IS SMALL, A FULL FACEPIECE AIR-PURIFYING CARTRIDGE RESPIRATOR EQUIPPED WITH PARTICULATE FILTERS MAY BE SATISFACTORY. IN ANY EVENT, ALWAYS WEAR EYE PROTECTION. FOR SMALL SPILLS, SWEEP UP AND DISPOSE OF IN DOT-APPROVED WASTE CONTAINERS. FOR LARGE SPILLS, SHOVEL INTO DOT-APPROVED WASTE CONTAINERS. KEEP OUT OF SEWERS, STORM DRAINS, SURFACE WATERS, AND SOIL. COMPLY WITH ALL APPLICABLE GOVERNMENTAL REGULATIONS ON SPILL REPORTING, AND HANDLING AND DISPOSAL OF WASTE.

DISPOSAL METHODS: DISPOSE OF CONTAMINATED PRODUCT AND MATERIALS USED IN CLEANING UP SPILLS OR LEAKS IN A MANNER APPROVED FOR THIS MATERIAL. CONSULT APPROPRIATE FEDERAL, STATE AND LOCAL REGULATORY AGENCIES TO ASCERTAIN PROPER DISPOSAL PROCEDURES.

NOTE: EMPTY CONTAINERS CAN HAVE RESIDUES, GASES AND MISTS AND ARE SUBJECT TO PROPER WASTE DISPOSAL, AS ABOVE.

-----SPECIAL PRECAUTIONS-----

STORAGE AND HANDLING PRECAUTIONS: STORE IN A COOL, DRY, WELL-VENTILATED PLACE. STORE AWAY FROM ALL OTHER CHEMICALS AND POTENTIAL SOURCES OF CONTAMINATION. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. DO NOT USE PRESSURE TO EMPTY CONTAINER. WASH THOROUGHLY AFTER HANDLING. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING.

REPAIR AND MAINTENANCE PRECAUTIONS: NONE.

OTHER PRECAUTIONS: CONTAINERS, EVEN THOSE THAT HAVE BEEN EMPTIED, WILL RETAIN PRODUCT RESIDUE AND VAPORS. ALWAYS OBEY HAZARD WARNINGS AND HANDLE EMPTY CONTAINERS AS IF THEY WERE FULL.

-----FOR ADDITIONAL INFORMATION-----

CONTACT DOUGLAS EISNER, TECHNICAL DIRECTOR, VAN WATERS & ROGERS INC.
 DURING BUSINESS HOURS, PACIFIC TIME (206)447-5911

-----NOTICE-----

VAN WATERS & ROGERS INC. ("VWR") EXPRESSLY DISCLAIMS ALL EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT OR INFORMATION PROVIDED HEREIN.

ALL INFORMATION APPEARING HEREIN IS BASED UPON DATA OBTAINED FROM THE MANUFACTURER AND/OR RECOGNIZED TECHNICAL SOURCES. WHILE THE INFORMATION IS BELIEVED TO BE ACCURATE, VWR MAKES NO REPRESENTATIONS AS TO ITS ACCURACY OR SUFFICIENCY. CONDITIONS OF USE ARE BEYOND VWR'S CONTROL AND THEREFORE USERS ARE RESPONSIBLE TO VERIFY THIS DATA UNDER THEIR OWN OPERATING CONDITIONS TO DETERMINE WHETHER THE PRODUCT IS SUITABLE FOR THEIR PARTICULAR PURPOSES AND THEY ASSUME ALL RISKS OF THEIR USE, HANDLING, AND DISPOSAL OF THE PRODUCT, OR FROM THE PUBLICATION OR USE OF, OR RELIANCE UPON, INFORMATION CONTAINED HEREIN. THIS INFORMATION RELATES ONLY TO THE PRODUCT DESIGNATED HEREIN, AND DOES NOT

RELATE TO ITS USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY OTHER
PROCESS.

**** E N D O F M S D S ****