Safety data sheet

according to 1907/2006/EC, Article 31

DOKUMENTAL GmbH & Co KG Schreibfarber

Page 1/6 Printing date 16.06.2011 Revision: 16.06.2011 Version number 8

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

- · Trade name: <u>MA 4532 grün / green</u>
- Registration number
- The ingredients of this ink have been pre-registered according to 1907/2006/EC (REACH)
- · Relevant identified uses of the substance or mixture and uses advised against
- Currently no such applications are identified
- · Application of the substance / the preparation alcohol based permanent marking ink
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier: School Specialty W6316 Design Drive Greenville, WI 54942 Ph#1-888-388-3224 Fax#1-888-388-6344 Email: orders@schoolspecialty.com Website: www.schoolspecialty.com

2 Hazards identification

- · Classification of the substance or mixture Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Sensitising R43: May cause sensitisation by skin contact. F; Highly flammable Highly flammable. R11: R52/53-67: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Vapours may cause drowsiness and dizziness. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Has a narcotizing effect. Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. · Label elements · Labelling according to EU guidelines: The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. Code letter and hazard designation of product: Xi Irritant



Highly flammable

· Hazard-determining components of labelling: C. I. Solvent Yellow 146

- Risk phrases:
- Highly flammable. 11
- 4.3 May cause sensitisation by skin contact.
- 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. 67 Vapours may cause drowsiness and dizziness.

• Safety phrases:

7/9 Keep container tightly closed and in a well-ventilated place.

24/25 Avoid contact with skin and eyes.

37/39 Wear suitable gloves and eye/face protection.

Avoid release to the environment. Refer to special instructions/safety data sheets. 61

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

(Contd. on page 2) EU

according to 1907/2006/EC, Article 31

GmbH & Co KG Schreibfarben

DOKUMENTAL

Trade name: MA 4532 grün / green

(Contd. of page 1)

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

Mixture of the following substances, containing non-hazardous substances and colouring agents. • **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	ethanol	25-50%
EINECS: 200-578-6	F R11	
	🔞 Flam. Liq. 2, H225	
CAS: 107-98-2	1-Methoxy-2-propanol	25-50%
EINECS: 203-539-1	R10-67	
	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336	
CAS: 68411-04-1	C. I. Solvent Blue 51	2,5-10%
EINECS: 270-096-9	<i>R52/53</i>	
	Aquatic Chronic 3, H412	
CAS: 94279-65-9	C. I. Solvent Yellow 146	≤ 2,5%
	🗙 Xi R36; 🙀 Xi R43; 🌄 N R51/53	
	🚸 Aquatic Chronic 2, H411; 🚸 Eye Irrit. 2, H319; Skin Sens. 1, H317	
· Additional informa	tion: For the wording of the listed risk phrases refer to section 16.	

4 First aid measures

· Description of first aid measures

- After inhalation:
 - Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- \cdot Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents:
- Water
- Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Wear protective clothing.
 Environmental precautions:
 Prevent seepage into sewage system, workpits and cellars.
 Inform respective authorities in case of seepage into water course or sewage system.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Ensure adequate ventilation.
 Do not flush with water or aqueous cleansing agents
 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 - See Section 8 for information on personal protection equipme See Section 13 for disposal information.

(Contd. on page 3)

DOKUMENTAL

GmbH & Co KG Schreibfarben

Trade name: MA 4532 grün / green

(Contd. of page 2)

7 Handling and storage

• Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- \cdot Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles. • Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

Control parameters

· Ingredients with limit values that require monitoring at the workplace:

 107-98-2
 1-Methoxy-2-propanol
 (25-50%)

 IOELV
 Short-term
 value:
 568
 mg/m³,
 150
 ppm

Long-term value: 375 mg/m³, 100 ppm Skin

• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

- Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- Appearance:

Form:

Fluid

Safety data sheet

according to 1907/2006/EC, Article 31

GmbH & Co KG Schreibfarben

DOKUMENTAL

Page 4/6 Printing date 16.06.2011 Revision: 16.06.2011 Version number 8

Trade name: MA 4532 grün / green

	(Contd. of pag
Colour:	According to product specification
Odour:	Product specific
Odour threshold:	Not determined.
Important information on protection of health	and
environment, and on safety.	-
	-
<i>p</i> H-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78°C
Flash point:	13°C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	287°C
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	1,7 Vol %
Upper:	15,0 Vol %
Vapour pressure at 20°C:	59 hPa
Density at 20°C:	0,88 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Segregation coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic at 20°C:	4 mPas
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	85,0 %
Solids content:	15,0 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity

- · Chemical stability
- \cdot Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- \cdot Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

(Contd. on page 5)

EU

according to 1907/2006/EC, Article 31

DOKUMENTAL

Trade name: MA 4532 grün / green

12 Ecological information

Toxicity

- Acquatic toxicity:
- 94279-65-9 C. I. Solvent Yellow 146
- Oral LC50 / 48h 2,000-5,000 mg/l (rat)
- Persistence and degradability No further relevant information available.
- \cdot Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Harmful to aquatic organisms
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system. • European waste catalogue

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS,
	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 00	wastes from MFSU and removal of paint and varnish

08 01 13* sludges from paint or varnish containing organic solvents or other dangerous substances

Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

• Land transport ADR/RID	(cross-border)	
• ADR/RID class:	3 (F1) Flammable liquids.	
• Danger code (Kemler):	33	
· UN-Number:	1263	
 Packaging group: 	II	
• Hazard label	3	
\cdot UN proper shipping nam		
\cdot Limited quantities (LQ		
 Tunnel restriction cod 	e D/E	
• Maritime transport IMD	G:	
· IMDG Class:	3	
· UN Number:	1263	
· Label	3	
 Packaging group: 	II	
· EMS Number:	<i>F</i> - <i>E</i> , <u><i>S</i>-<i>E</i></u>	
• Marine pollutant:	No	

(Contd. of page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

DOKUMENTAL GmbH & Co KG Schreibfarben

Page 6/6 Printing date 16.06.2011 Revision: 16.06.2011 Version number 8

EU

Trade name: MA 4532 grün / green

	(Contd. of pa
Proper shipping name:	PAINT
Air transport ICAO-TI	and IATA-DGR:
A	
3	
ICAO/IATA Class:	3
UN/ID Number:	1263
Label	3
Packaging group:	II
Proper shipping name:	PAINT
	r user Warning: Flammable liquids.
Transport in bulk acco	rding to Annex II of MARPOL73/78 and the IBC Code Not applicable.
Regulatory informa	tion
Regulatory informa	12101
Safety, health and env.	ironmental regulations/legislation specific for the substance or mixture
National memulations.	
National regulations:	
Technical instructions	(air):
Class Share in %	
NK 50-100	
WR 50 100	1
Waterhazard class: Wate	er hazard class 1 (Self-assessment): slightly hazardous for water.
	ment: A Chemical Safety Assessment has not been carried out.
Other information	
	sed on our present knowledge. However, this shall not constitute a guarante
for any specific produc	ct features and shall not establish a legally valid contractual relationshi
Relevant phrases	
=	e liquid and vapour.
H226 Flammable liquid	
	lergic skin reaction.
H319 Causes serious	
	iness or dizziness.
H336 May cause drows	iness or dizziness.
H336 May cause drows H411 Toxic to aquation	iness or dizziness. c life with long lasting effects.
H336 May cause drows H411 Toxic to aquati H412 Harmful to aqua	iness or dizziness.
H336 May cause drows H411 Toxic to aquati H412 Harmful to aqua R10 Flammable.	iness or dizziness. c life with long lasting effects. tic life with long lasting effects.
H336 May cause drows. H411 Toxic to aquation H412 Harmful to aqua	iness or dizziness. c life with long lasting effects. tic life with long lasting effects. e.

Irritating to eyes. R43 May cause sensitisation by skin contact.

R53 May cause sensitisation by skin contact.
 R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 R67 Vapours may cause drowsiness and dizziness.
 * Data compared to the previous version altered.