SDS Revision Date:

12/09/2014

### 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product IdentityIsoamyl Benzoate for SynthesisAlternate NamesIsoamyl Benzoate for Synthesis

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Chemical for synthesis
Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Thermco Products, Inc.

10 Millpond Drive,

Unit #10

Lafayette, NJ 07848

**Emergency** 

Customer Service: Thermco Products, Inc. 973.300.9100

## 2. Hazard identification of the product

#### 2.1. Classification of the substance or mixture

Combustible Liquid; H227 Combustible Liquid.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows. H227 Combustible liquid.

#### [Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking. P280 Wear protective gloves / eye protection / face protection.

#### [Response]:

No GHS response statements

#### [Storage]:

P403+235 Store in a well ventilated place. Keep cool.

#### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

**SDS Revision Date:** 

12/09/2014

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
ISOPENTYL BENZOATE CAS Number: 0000094-46-2	100	Not classified	[1]

<sup>[1]</sup> Substance classified with a health or environmental hazard.

#### 4. First aid measures

#### 4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and Eyes

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

See section 2 for further details.

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray. Do not use; water jet.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale vapors/aerosols. Ensure supply of fresh air in enclosed rooms.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.
\*The full texts of the phrases are shown in Section 16.

**SDS Revision Date:** 

HERMCO®

12/09/2014

Hazardous decomposition: No hazardous decomposition data available.

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

#### 5.3. Advice for fire-fighters

#### Special risks:

Combustible. Vapors heavier than air.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapors possible in the event of fire.

#### Special protective equipment for fire fighting:

Do not stay in dangerous zone without self-contained breathing apparatus.

Do not allow run off water and contaminants from fire fighting to enter drains or water ways.

ERG Guide No. ----

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Do not inhale vapors/aerosols. Ensure supply of fresh air in enclosed rooms.

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Do not inhale vapors/aerosols. Ensure supply of fresh air in enclosed rooms.

Take up with liquid-absorbent material (e.g. Chemizorb). Forward for disposal. Clean up affected area.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

Store in accordance with the National Fire Protection Association's publication NFPA 30, Flammable and Combustible Liquids Code. 29 CFR 1910.106 applies to the handling, storage, and use of flammable and combustible liquids.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Store in a cool dry area, away from heat, sparks and open flame. Keep containers sealed when not in use. Store out of direct sunlight.

Incompatible materials: Strong oxidizing agents

Tightly closed. At +15C to +25C.

SDS Revision Date:

12/09/2014

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

### 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value
0000094-46-2	ISOPENTYL BENZOATE	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

#### **Carcinogen Data**

CAS No.	Ingredient	Source	Value	
0000094-46-2	ISOPENTYL BENZOATE	OSHA	Select Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	

#### 8.2. Exposure controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

Eyes Protective safety glasses required

**Skin** Butyl rubber gloves

Layer thickness: 0.7 mm Breakthrough time: >240 min

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

SDS Revision Date:

12/09/2014

### 9. Physical and chemical properties

Appearance Colorless Liquid
Odor Almost Odorless
Odor threshold Not Measured

H NA

Melting point / freezing pointNAInitial boiling point and boiling range260 CFlash Point89 C

Evaporation rate (Ether = 1) NA

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits

Lower Explosive Limit: NA

Upper Explosive Limit: NA

Vapor pressure (Pa) NA
Vapor Density NA

**Density** 0.99 g/cm3 (@20C)

Solubility in Water Insoluble

Partition coefficient n-octanol/water (Log Kow) Not Measured

Auto-ignition temperature NA

Decomposition temperature NA

Viscosity (cSt) NA

VOC % NA

**Log Pow** 4.15 (experimental) (Lit.)

9.2. Other information

No other relevant information.

## 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Forms explosive mixtures with air on intense heating.

**SDS Revision Date:** 

12/09/2014



#### 10.5. Incompatible materials

Strong Oxidizing agents.

#### 10.6. Hazardous decomposition products

No hazardous decomposition data available.

## 11. Toxicological information

#### **Acute toxicity**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
ISOPENTYL BENZOATE - (94-46-2)	6330.00, Rat - Category: NA	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

SDS Revision Date:

12/09/2014

### 12. Ecological information

#### 12.1. Toxicity

Do not allow product to enter water, wastewater or soil! See Section 3 for chemical specific data.

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
ISOPENTYL BENZOATE - (94-46-2)	Not Available	Not Available	Not Available

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

An appreciable bioaccumulation potential is to be expected (log Po/w >3)

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable DOT Label:	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable

SDS Revision Date:

12/09/2014

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

## 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

**Toxic Substance** All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification B3

US EPA Tier II Hazards Fire: Yes

**Sudden Release of Pressure:** No

Reactive: No

Immediate (Acute): No Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

(No Product Ingredients Listed)

**EPCRA 302 Extremely Hazardous:** 

(No Product Ingredients Listed)

**EPCRA 313 Toxic Chemicals:** 

(No Product Ingredients Listed)

Proposition 65 - Carcinogens (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0.0%):

(No Product Ingredients Listed)

**Proposition 65 - Female Repro Toxins (>0.0%):** 

(No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0.0%):

(No Product Ingredients Listed)

N.J. RTK Substances (>1%):

(No Product Ingredients Listed)

Penn RTK Substances (>1%):

(No Product Ingredients Listed)

**SDS Revision Date:** 

HERMCO 8

12/09/2014

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is: not applicable

## This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Disclaimer: This information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Document** 



NON-HARDENING MODELING CLAY

Issue date: 11/14/2012

SDS ID: 00141112

Revision Date: 10/14/2014

### \* \* \* Section 1 - PRODUCT AND COMPANY IDENTIFICATION \* \* \*

**Product Name:** 

NON-HARDENING MODELING CLAY

SARGENT ART, INC

Phone: 1-800-424-3596

100 East Diamond Ave. Hazleton, PA 18201 www.sargentart.com

Health Emergency - Call local Poison Control Center

Synonyms:

Primary Assorted Modeling Clay; Pastel Assorted Modeling Clay;

Natural Assorted Modeling Clay; Earth Tone Assorted Modeling Clay;

Color of My Friends Assorted Modeling Clay; Primary Colors Modeling Clay;

**Product Codes:** 

Art-Time Assorted Modeling Clay; Plastilina (various colors). 22-4400, 22-4005; 22-4007; 22-4009; 22-4044; 22-4000; 22-4002; 22-4014; 22-4020; 22-4029; 22-4030; 22-4042; 22-4050; 22-4066; 22-4084; 22-4085; 22-4088; 22-4096; 22-7600; 22-7630; 22-7666; 22-7684; 22-7688; 22-7696; 22-7700; 22-7730; 22-7766; 22-7784; 22-7788; 22-7796; 22-1100; 55-3300.

**Product Use:** 

Arts and Crafts

#### \* \* \* Section 2 - HAZARD(S) IDENTIFICATION \* \* \*

#### **EMERGENCY OVERVIEW**

Color: various colors Physical Form: solid Odor: odorless

#### POTENTIAL HEALTH EFFECTS

Inhalation: none Skin Contact: none Eye Contact: none Ingestion: none

#### \* \* \* Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS \* \* \*

CA	\S	Component	Percent	Symbol	Risk Phrase(s)
No	t Available	Product has been certified as non-toxic by the	100		
		US Board Certifies Toxicologist and Conforms to ASTM D-4236 standard practice for			
		Labeling Art Materials for acute and chronic			
		adverse health hazards.			

#### \* \* \* Section 4 - FIRST AID MEASURES \* \* \*

#### Inhalation

PAGE 1 OF 5

PN: 1400905 **REV 002** 



NON-HARDENING MODELING CLAY

Issue date: 11/14/2012

SDS ID: 00141112

Revision Date: 10/14/2014

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eyes

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

Ingestion

Contact local poison control center or physician immediately.

\* \* \* Section 5 - FIRE FIGHTING MEASURES \* \* \*

See Section 9 for Flammability Properties

NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Flammable Properties

Slight fire hazard.

Extinguishing Media

Regular dry chemical, carbon dioxide, water, regular foam

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion byproducts.

\* \* \* Section 6 - ACCIDENTAL RELESE MEASURES \* \* \*

Occupational spill/release

Collect spilled material in appropriate container for disposal.

\* \* \* Section 7 - HANDLING AND STORAGE \* \* \*

Handling Procedures

Use methods to minimize dust.

Storage Procedures

Store and handle in accordance with all current regulations and standards. See original containers for storage recommendations. Keep separated from incompatible substances.

\* \* \* Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION \* \* \*

Component Exposure Limits

ACGIH and EU have not developed exposure limits for any of this product's components.

Ventilation

Based on available information, additional ventilation is not required.

PERSONAL PROTECTIVE EQUIPMENT

Eyes/Face

Eye protection not required under normal conditions.

**Protective Clothing** 

PAGE 2 OF 5

PN: 1400905 REV 002



NON-HARDENING MODELING CLAY

Issue date: 11/14/2012

SDS ID: 00141112

Revision Date: 10/14/2014

Protective clothing is not required under normal conditions.

Glove Recommendations

Protective gloves are not required under normal conditions.

Respiratory Protection

No respirator is required under normal conditions of use.

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

#### \* \* \* Section 9 - PHYSICAL AND CHEMICAL PROPERTIES \* \* \*

Appearance: Physical State:

Solid Solid Flash Point: Flammability: Not available Not available

Physical Form: Color:

Solid Assorted colors

Vapor Pressure: Vapor Density (air=1): Not available Evaporation Rate:

Not available Not available

Odor: Odor Threshold: pH:

Odorless Not available Not available

Specific Gravity: Density: Water Solubility:

Not available Not available Not available

Melting Point: Freezing Point: **Boiling Point:** 

Not available Not available Not available

Coeff.Water/Oil Dist: Volatility:

Not available Not available

Viscosity:

Not available

#### \* \* \* Section 10 - STABILITY AND REACTIVITY \* \* \*

#### Chemical Stability

Stable at normal temperatures and pressure.

Conditions to Avoid

None reported.

Materials to Avoid

Oxidizing materials.

Decomposition Products

Oxides of carbon.

Possibility of Hazardous Reactions

Will not polymerize.

#### \* \* \* Section 11 - TOXICOLOGICAL INFORMATION \* \* \*

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been

#### RTECS Acute Toxicity (selected)

The components of this material have been reviewed and RTECS publishes no data as of the date on this

#### Component Carcinogenicity

None of this product's components are listed be ACGIH, IARC, or DFG.

#### RTECS Irritation

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

PAGE 3 OF 5

PN: 1400905 **REV 002** 



NON-HARDENING MODELING CLAY

Issue date: 11/14/2012

SDS ID: 00141112 Revision Date: 10/14/2014

#### \* \* \* Section 12 - ECOLOGICAL INFORMATION \* \* \*

#### Component Analysis – Aquatic Toxicity

No LOLI ecotoxicity data is available for this product's components.

#### \* \* \* Section 13 - DISPOSAL CONSIDERATION \* \* \*

#### Disposal Methods

Dispose in accordance with all applicable regulations.

#### Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

#### \* \* \* Section 14 - TRANSPORT INFORMATION \* \* \*

US DOT Information:

Not Regulated.

TDG Information:

Not Regulated.

ADR Information: RID Information:

Not Regulated. Not Regulated.

IATA Information:

Not Regulated.

ICAO Information:

Not Regulated.

IMDG Information: Not Regulated.

#### \* \* \* Section 15 - REGULATORY INFORMATION \* \* \*

#### U.S. Federal Regulations

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

#### SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: No Chronic Health: No Fire: No

Pressure: No

Reactive: No

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

Not regulated under California Proposition 65

This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

WHMIS CLASSIFICATION: Not a Controlled Product under Canada's Workplace Hazardous Material Information

#### Component Analysis - Inventory

No information is available.

#### \* \* \* Section 16 - OTHER INFORMATION \* \* \*

PAGE 4 OF 5

PN: 1400905 **REV 002** 



NON-HARDENING MODELING CLAY Issue date: 11/14/2012

SDS ID: 00141112 Revision Date: 10/14/2014

#### Allergens:

This product do not contain common allergens such as latex, eggs, milk, wheat, gluten, soy, sunflower or other seads, tree nuts, and peanuts.

#### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR -Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU -European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Agency Organization; IDL - Ingredient Disclosure List; IDLH -Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow -Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of Lists -ChemADVIUSOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL -Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

#### Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

PN: 1400905 REV 002